

Also 10/802,644 7

haddad - 10 / 180753

Page 1

=> fil hcaplus biosis medline

FILE 'HCAPLUS' ENTERED AT 07:58:12 ON 11 MAY 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 07:58:12 ON 11 MAY 2003

COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC. (R)

FILE 'MEDLINE' ENTERED AT 07:58:12 ON 11 MAY 2003

Jan Delaval
Reference Librarian
Biotechnology & Chemical Library
CM1 1E07 - 703-308-4498
jan.delaval@uspto.gov

=> d all tot 148

L48 ANSWER 1 OF 6 HCAPLUS COPYRIGHT 2003 ACS

AN 2003:5673 HCAPLUS

DN 138:66677

TI Blocking peptide for inflammatory cell secretion, and therapeutic use

IN Martin, Linda; Adler, Kenneth B.; Li, Yuehua

PA North Carolina State University, USA

SO PCT Int. Appl., 54 pp.

CODEN: PIXXD2

DT Patent

LA English

ICI A61

CC 1-7 (Pharmacology)

Section cross-reference(s): 14

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003000027	A2	20030103	WO 2002-US22270	20020626
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MN, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US 2003013652	A1	20030116	US 2002-180753	20020626
PRAI	US 2001-300933P	P	20010626		
AB	The invention includes methods of modulating cellular secretory processes. More specifically, the invention relates to modulating the release of inflammatory mediators. Addnl., the invention discloses an intracellular signaling mechanism that regulates airway mucin secretion as well as illustrating several intracellular targets for pharmacol. intervention in disorders involving aberrant secretion of respiratory mucins and/or secretion of inflammatory mediators from membrane-bound vesicles.				
ST	blocking peptide inflammatory cell secretion therapeutic; inflammation mediator release modulation peptide; respiratory mucin secretion therapeutic peptide				
IT	Intestine, disease (Crohn's; blocking peptide for inflammatory cell secretion, and therapeutic use)				
IT	Proteins RL: BSU (Biological study, unclassified); BIOL (Biological study) (MANS; blocking peptide for inflammatory cell secretion, and therapeutic use)				
IT	Peptides , biological studies RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (MANS; blocking peptide for inflammatory cell				

- secretion, and therapeutic use)
- IT Actins
 - Myosins
 - RL: BSU (Biological study, unclassified); BIOL (Biological study)
(**MARCKS** assocn. with; blocking **peptide** for
inflammatory cell secretion, and therapeutic use)
 - IT Animal cell line
(NHBE; blocking peptide for inflammatory cell secretion, and
therapeutic use)
 - IT Drug delivery systems
(aerosols; blocking peptide for inflammatory cell secretion, and
therapeutic use)
 - IT Anti-inflammatory agents
 - Antiarthritics
 - Antiasthmatics
 - Arthritis
 - Asthma
 - Cat (*Felis catus*)
 - Cystic fibrosis
 - Dephosphorylation, biological
 - Dog (*Canis familiaris*)
 - Drug delivery systems
 - Eczema
 - Exocytosis
 - Horse (*Equus caballus*)
 - Human
 - Inflammation
 - Psoriasis
 - Secretion (process)
(blocking peptide for inflammatory cell secretion, and therapeutic use)
 - IT **MARCKS** (**myristoylated alanine-rich
C kinase substrate**)
 - Mucins
 - RL: BSU (Biological study, unclassified); BIOL (Biological study)
(blocking **peptide** for inflammatory cell secretion, and
therapeutic use)
 - IT Antibiotics
 - Antiviral agents
 - Immunosuppressants
 - Parasiticides
(blocking peptide for inflammatory cell secretion, therapeutic use, and
use with other agents)
 - IT Bronchi
(chronic bronchitis; blocking peptide for inflammatory cell secretion,
and therapeutic use)
 - IT Lung, disease
(chronic obstructive; blocking peptide for inflammatory cell secretion,
and therapeutic use)
 - IT Respiratory tract
(disease, inflammation from; blocking peptide for inflammatory cell
secretion, and therapeutic use)
 - IT Drugs
(gastrointestinal; blocking peptide for inflammatory cell secretion,
and therapeutic use)
 - IT Organelle
(granule, mucin; blocking peptide for inflammatory cell secretion, and
therapeutic use)
 - IT Pain
(inflammation from pain syndromes; blocking peptide for inflammatory
cell secretion, and therapeutic use)
 - IT Autoimmune disease
 - Intestine, disease
 - Skin, disease

- (inflammation from; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Basophil
Eosinophil
Leukocyte
Monocyte
Neutrophil
(inflammatory mediators produced by; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Drug delivery systems
(inhalants; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Medical goods
(inhalers, dry powder and metered dose; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Intestine, disease
(irritable bowel syndrome; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Signal transduction, biological
(mucin secretion regulation; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Drug delivery systems
(nasal; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Drug delivery systems
(oral; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Drug delivery systems
(parenterals; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Phosphorylation, biological
(protein; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Drug delivery systems
(pulmonary; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Drug delivery systems
(rectal; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Skin, disease
(rosacea; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Mucus
(secretion; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Acne
(severe; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Drug delivery systems
(topical; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT Intestine, disease
(ulcerative colitis; blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT 479482-23-0
RL: PAC (Pharmacological activity); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(blocking peptide for inflammatory cell secretion, and therapeutic use)
- IT 141436-78-4, Protein kinase C 141588-27-4, Protein kinase G
362674-81-5, Protein phosphatase 2a
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(mucin secretion in relation to; blocking peptide for inflammatory cell secretion, and therapeutic use)

IT 480430-49-7
RL: PRP (Properties)
(unclaimed sequence; blocking peptide for inflammatory cell secretion,
and therapeutic use)

L48 ANSWER 2 OF 6 HCAPLUS COPYRIGHT 2003 ACS
AN 2001:846313 HCAPLUS
DN 136:99693
TI **MARCKS protein** is a key molecule regulating mucin
secretion by human airway epithelial cells in vitro
AU Li, Yuehua; Martin, Linda D.; Spizz, Gwendolyn;
Adler, Kenneth B.
CS Department of Anatomy, Physiological Sciences and Radiology, College of
Veterinary Medicine, North Carolina State University, Raleigh, NC, 27606,
USA
SO Journal of Biological Chemistry (2001), 276(44), 40982-40990
CODEN: JBCHA3; ISSN: 0021-9258
PB American Society for Biochemistry and Molecular Biology
DT Journal
LA English
CC 13-2 (Mammalian Biochemistry)
AB Hypersecretion of airway mucin characterizes numerous respiratory
diseases. Although diverse pathol. stimuli can provoke exocytotic release
of mucin from secretory cells of the airway epithelium, mechanisms
involved remain obscure. This report describes a new paradigm for the
intracellular signaling mechanism regulating airway mucin secretion.
Direct evidence is provided that the **myristoylated**
alanine-rich C kinase
substrate (MARCKS) is a central regulatory mol. linking
secretagogue stimulation at the cell surface to mucin granule release by
differentiated normal human bronchial epithelial cells in vitro.
Down-regulation of **MARCKS** expression or disruption of
MARCKS function in these cells inhibits the secretory response to
subsequent stimulation. The intracellular mechanism controlling this
secretory process involves cooperative action of two sep. protein kinases,
protein kinase C and cGMP-dependent protein kinase. Upon stimulation,
activated **protein kinase C** phosphorylates **MARCKS**,
causing translocation of **MARCKS** from the plasma membrane to the
cytoplasm, where it is then dephosphorylated by a **protein**
phosphatase 2A that is activated by cGMP-dependent **protein**
kinase, and assoc. with both actin and myosin. Dephosphorylated
cytoplasmic **MARCKS** would also be free to interact with mucin
granule membranes and thus could link granules to the contractile
cytoskeleton, mediating their movement to the cell periphery and
subsequent exocytosis. These findings suggest several novel intracellular
targets for pharmacol. intervention in disorders involving aberrant
secretion of respiratory mucin and may relate to other lesions involving
exocytosis of membrane-bound granules in various cells and tissues.

ST **MARCKS G C kinase mucin secretion airway epithelium**
IT Cytoplasm
(**MARCKS** assoc. with actin and myosin in regulating mucin
secretion by human airway epithelial cells in vitro)

IT Actins
Myosins
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(**MARCKS** assoc. with actin and myosin in regulating mucin
secretion by human airway epithelial cells in vitro)

IT Secretion (process)
(**MARCKS protein** is key mol. regulating mucin
secretion by human airway epithelial cells in vitro)

IT **MARCKS (myristoylated alanine-rich**
C kinase substrate)
Mucins

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(**MARCKS protein** is key mol. regulating mucin
secretion by human airway epithelial cells in vitro)

IT Respiratory tract
(epithelium; **MARCKS protein** is key mol. regulating
mucin secretion by human airway epithelial cells in vitro)

IT 141436-78-4, **Protein kinase C** 141588-27-4, **Protein
kinase G**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(**MARCKS** regulation of mucin secretion by human airway
epithelial cells involves activation of **protein kinases C** and
G)

RE.CNT 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Abdullah, L; Am J Physiol 1997, V273, PL201 HCAPLUS
- (2) Abdullah, L; Biochem J 1996, V316, P943 HCAPLUS
- (3) Aderem, A; Trends Biochem Sci 1992, V17, P438 HCAPLUS
- (4) Adler, K; Am J Respir Cell Mol Biol 1990, V2, P145 HCAPLUS
- (5) Adler, K; Res Immunol 1998, V149, P245 HCAPLUS
- (6) Cohn, L; Exp Lung Res 1992, V18, P299 MEDLINE
- (7) Fischer, B; Am J Respir Cell Mol Biol 1999, V20, P413 HCAPLUS
- (8) Gray, T; Am J Respir Cell Mol Biol 1996, V14, P104 HCAPLUS
- (9) Harlan, D; J Biol Chem 1991, V266, P14399 HCAPLUS
- (10) Harlow, E; Antibodies A Laboratory Manual 1988, P570
- (11) Hartwig, J; Nature 1992, V356, P618 HCAPLUS
- (12) Huang, X; Adv Exp Med Biol 1996, V396, P209 HCAPLUS
- (13) Kaartinen, L; In Vitro Cell Dev Biol Anim 1993, V29A, P481 MEDLINE
- (14) Ko, K; Am J Respir Cell Mol Biol 1997, V16, P194 HCAPLUS
- (15) Krunkosky, T; Am J Respir Cell Mol Biol 2000, V22, P685 HCAPLUS
- (16) Larivee, P; Am J Respir Cell Mol Biol 1994, V11, P199 HCAPLUS
- (17) Lethem, M; Am J Respir Cell Mol Biol 1993, V9, P315 HCAPLUS
- (18) Lin, H; Am J Respir Cell Mol Biol 1989, V1, P41 HCAPLUS
- (19) McLaughlin, S; Trends Biochem Sci 1995, V20, P272 HCAPLUS
- (20) Schmidt, H; Biochim Biophys Acta 1993, V1178, P153 HCAPLUS
- (21) Sekhar, K; Mol Pharmacol 1992, V42, P103 HCAPLUS
- (22) Seykora, J; J Biol Chem 1996, V271, P18797 HCAPLUS
- (23) Spizz, G; J Biol Chem 1996, V271, P553 HCAPLUS
- (24) Swierczynski, S; J Biol Chem 1996, V271, P23424 HCAPLUS
- (25) Walsh, A; FEBS Lett 1997, V416, P230 HCAPLUS
- (26) Wei, J; J Mol Neurosci 1998, V10, P53 HCAPLUS
- (27) Wright, D; Am J Physiol 1996, V271, PL854 HCAPLUS
- (28) Yankaskas, J; Am J Physiol 1993, V264, PC1219 MEDLINE

L48 ANSWER 3 OF 6 HCAPLUS COPYRIGHT 2003 ACS

AN 2001:697269 HCAPLUS

DN 136:115748

TI **MARCKS protein**: A potential modulator of airway mucin
secretion

AU Li, Yuehua; Martin, Linda D.; Adler, Kenneth
B.

CS College of Veterinary Medicine, North Carolina State University, Raleigh,
NC, USA

SO Cilia and Mucus: From Development to Respiratory Defense, [International
Meeting], 2nd, Sirmione, Italy, Nov. 3-4, 1999 (2001), Meeting Date 1999,
179-193. Editor(s): Salathe, Matthias. Publisher: Marcel Dekker, Inc.,
New York, N. Y.

CODEN: 69BVC5

DT Conference; General Review

LA English

CC 13-0 (Mammalian Biochemistry)

AB A review on **myristoylated alanine-rich
C kinase substrate protein**, and on a
rationale for looking at **MARCKS protein** as a

potentially important regulator of airway mucin secretion. **MARCKS protein** was identified as a specific in vitro and in vivo substrate for protein kinase C. The preliminary study of a potential role for **MARCKS protein** in the process of airway mucin secretion showed that it is involved in the secretory pathway and could be a major convergent mol. in intracellular signaling leading to mucin granule transport and exocytosis in human goblet cells in vitro.

ST review **MARCKS protein** mucin airway

IT Respiratory tract

(**MARCKS protein**: A potential modulator of airway mucin secretion)

IT **MARCKS (myristoylated alanine-rich C kinase substrate)**

Mucins

RL: BSU (Biological study, unclassified); BIOL (Biological study)

(**MARCKS protein**: A potential modulator of airway mucin secretion)

RE.CNT 81 THERE ARE 81 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Abdullah, L; Am J Physiol 1997, V273(1 Pt 1), PL201 MEDLINE
- (2) Abdullah, L; Biochem J 1996, V316, P943 HCAPLUS
- (3) Aderem, A; Biochem Soc Trans 1995, V23, P587 HCAPLUS
- (4) Aderem, A; Cell 1992, V71, P713 HCAPLUS
- (5) Aderem, A; Nature 1988, V332, P362 HCAPLUS
- (6) Adler, K; Am J Pathol 1986, V125, P501 HCAPLUS
- (7) Adler, K; Am J Respir Cell Mol Biol 1992, V6, P550 HCAPLUS
- (8) Adler, K; Am J Respir Cell Mol Biol 1995, V13, P526 HCAPLUS
- (9) Adler, K; J Clin Invest 1990, V85, P75 HCAPLUS
- (10) Albert, K; Proc Natl Acad Sci USA 1986, V83, P2822 HCAPLUS
- (11) Albert, K; Proc Natl Acad Sci USA 1987, V84, P7046 HCAPLUS
- (12) Alexander, K; J Biol Chem 1987, V262, P6108 HCAPLUS
- (13) Allen, L; EMBO J 1995, V14, P1109 HCAPLUS
- (14) Blackshear, P; Brain Res Dev Brain Res 1996, V96, P62 HCAPLUS
- (15) Blackshear, P; Genomics 1992, V14, P168 HCAPLUS
- (16) Blackshear, P; J Biol Chem 1985, V260, P13304 HCAPLUS
- (17) Blackshear, P; J Biol Chem 1993, V268, P1501 HCAPLUS
- (18) Brooks, G; Carcinogenesis 1996, V17, P683 HCAPLUS
- (19) Brooks, G; Pigment Cell Res 1994, V7, P451 HCAPLUS
- (20) Brooks, S; EMBO J 1991, V10, P2497 HCAPLUS
- (21) Brown, H; Mol Pharmacol 1991, V40, P648 HCAPLUS
- (22) Chakrin, L; Am Rev Respir Dis 1973, V108, P69 HCAPLUS
- (23) Clarke, P; FEBS Lett 1993, V336, P37 HCAPLUS
- (24) Erusalimsky, J; J Biol Chem 1988, V263, P19188 HCAPLUS
- (25) Erusalimsky, J; J Biol Chem 1991, V266, P7073 HCAPLUS
- (26) Fischer, B; Am J Respir Cell Mol Biol 1999, V20, P413 HCAPLUS
- (27) George, D; J Biol Chem 1992, V267, P24879 HCAPLUS
- (28) Graff, J; J Biol Chem 1989, V264, P21818 HCAPLUS
- (29) Graff, J; J Biol Chem 1991, V266, P14390 HCAPLUS
- (30) Graff, J; Mol Endocrinol 1989, V3, P1903 HCAPLUS
- (31) Graff, J; Science 1989, V246, P503 HCAPLUS
- (32) Gruenberg, J; J Cell Biol 1989, V108, P1301 HCAPLUS
- (33) Harlan, D; J Biol Chem 1991, V266, P14399 HCAPLUS
- (34) Harlan, D; J Biol Chem 1991, V266, P14399 HCAPLUS
- (35) Hartwig, J; Nature 1992, V356, P618 HCAPLUS
- (36) Hentze, M; Proc Natl Acad Sci USA 1987, V84, P6730 HCAPLUS
- (37) Herget, T; Proc Natl Acad Sci USA 1993, V90, P2945 HCAPLUS
- (38) James, G; J Biol Chem 1989, V264, P20928 HCAPLUS
- (39) Joseph, C; J Biol Chem 1992, V267, P1327 HCAPLUS
- (40) Kim, J; J Biol Chem 1994, V269, P28214 HCAPLUS
- (41) Kim, K; Am J Respir Cell Mol Biol 1993, V8, P121 HCAPLUS
- (42) Kim, K; Proc Natl Acad Sci USA 1987, V84, P9304 HCAPLUS
- (43) Ko, K; Am J Respir Cell Mol Biol 1997, V16, P194 HCAPLUS
- (44) Larivee, P; Am J Respir Cell Mol Biol 1994, V11, P199 HCAPLUS

- (45) Last, J; Am Rev Respir Dis 1977, V116, P695 HCAPLUS
- (46) Levine, S; Am J Respir Cell Mol Biol 1995, V12, P196 HCAPLUS
- (47) Levine, S; Am Rev Respir Dis 1993, V147, PA437
- (48) Li, Y; Am J Respir Crit Care Med 2000, V161, PA259
- (49) Liu, J; Mol Cell Endocrinol 1994, V101, P247 HCAPLUS
- (50) MacNicol, M; J Biol Chem 1992, V267, P12197 HCAPLUS
- (51) Manenti, S; J Biol Chem 1992, V267, P22310 HCAPLUS
- (52) Mangels, L; Mol Pharmacol 1990, V37, P820 HCAPLUS
- (53) McIlroy, B; J Biol Chem 1991, V266, P4959 HCAPLUS
- (54) McLaughlin, S; Trends Biochem Sci 1995, V20, P272 HCAPLUS
- (55) Mossman, B; Chest 1982, V81, P23S
- (56) Mullner, E; Cell 1989, V58, P373 MEDLINE
- (57) Nairn, A; Ciba Found Symp 1992, V164, P145 HCAPLUS
- (58) Oh-uchida, M; Jpn J Cancer Res 1990, V81, P799 HCAPLUS
- (59) Raufman, J; J Cell Biochem 1997, V64, P514 HCAPLUS
- (60) Resh, M; Nature 1990, V346, P84 HCAPLUS
- (61) Rodriguez-Pena, A; EMBO J 1986, V5, P77 HCAPLUS
- (62) Rosen, A; J Biol Chem 1989, V264, P9118 HCAPLUS
- (63) Rosen, A; J Exp Med 1990, V172, P1211 HCAPLUS
- (64) Rozenfurt, E; Proc Natl Acad Sci USA 1983, V80, P7244 HCAPLUS
- (65) Sakai, K; Genomics 1992, V14, P175 HCAPLUS
- (66) Salerno, J; J Biol Chem 1997, V272, P29769 HCAPLUS
- (67) Seykora, J; J Biol Chem 1996, V271, P18797 HCAPLUS
- (68) Seykora, J; Proc Natl Acad Sci USA 1991, V88, P2505 HCAPLUS
- (69) Simek, S; Proc Natl Acad Sci USA 1989, V86, P7410 HCAPLUS
- (70) Skene, J; Annu Rev Neurosci 1989, V12, P127 HCAPLUS
- (71) Stumpo, D; Proc Natl Acad Sci USA 1989, V86, P4012 HCAPLUS
- (72) Swierczynski, S; J Biol Chem 1995, V270, P13436 HCAPLUS
- (73) Thelen, M; Nature 1991, V351, P320 HCAPLUS
- (74) Thelen, M; Proc Natl Acad Sci USA 1990, V87, P5603 HCAPLUS
- (75) Towler, D; Annu Rev Biochem 1988, V57, P69 HCAPLUS
- (76) Uberall, F; J Biol Chem 1997, V272, P4072 MEDLINE
- (77) Wang, J; Proc Natl Acad Sci USA 1989, V86, P2253 HCAPLUS
- (78) Webber, S; Br J Pharmacol 1988, V95, P49 HCAPLUS
- (79) Wolfman, A; J Biol Chem 1987, V262, P16546 HCAPLUS
- (80) Wright, D; Am J Physiol 1996, V271(5 Pt 1), PL854 MEDLINE
- (81) Wu, W; Proc Natl Acad Sci USA 1982, V79, P5249 HCAPLUS

L48 ANSWER 4 OF 6 HCAPLUS COPYRIGHT 2003 ACS

AN 2000:750090 HCAPLUS

DN 133:347833

TI **MARCKS protein**, a key intracellular molecule
controlling mucin secretion by human airway epithelial cells

AU Li, Yuehua

CS North Carolina State Univ., NC, USA

SO (1999) 100 pp. Avail.: UMI, Order No. DA9960139

From: Diss. Abstr. Int., B 2000, 61(2), 639-640

DT Dissertation

LA English

CC 13-2 (Mammalian Biochemistry)

AB Unavailable

ST **MARCKS protein** mucin secretion airway epithelium

IT **MARCKS (myristoylated alanine-rich
C kinase substrate)**

Mucins

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
(Biological study); PROC (Process)

(**MARCKS protein**, key intracellular mol. controlling
mucin secretion by human airway epithelial cells)

IT Respiratory tract

(epithelium; **MARCKS protein**, key intracellular mol.
controlling mucin secretion by human airway epithelial cells)

IT Secretion (process)

(protein; **MARCKS protein**, key
intracellular mol. controlling mucin secretion by human airway
epithelial cells)

L48 ANSWER 5 OF 6 HCAPLUS COPYRIGHT 2003 ACS

AN 2000:608596 HCAPLUS

DN 133:187988

TI Methods and compositions for altering mucus secretion

IN Li, Yuehua; Martin, Linda D.; Adler, Kenneth
B.

PA North Carolina State University, USA

SO PCT Int. Appl., 66 pp.

CODEN: PIXXD2

DT Patent

LA English

IC A61K038-17; A61K031-7088; A61K031-35; A61K031-00; A61K009-72; A61K091-27;

C07H021-00; G01N033-50; A61K038-19; A61K031-739; A61P011-00; A61P001-00

CC 1-12 (Pharmacology)

Section cross-reference(s): 15, 63

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000050062	A2	20000831	WO 2000-US5050	20000224
	WO 2000050062	A3	20001221		
	W:		AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM		
	RW:		GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG		
	EP 1154786	A2	20011121	EP 2000-912034	20000224
	R:		AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO		
	JP 2002538783	T2	20021119	JP 2000-600672	20000224
PRAI	US 1999-256154	A	19990224		
	WO 2000-US5050	W	20000224		

AB Methods and compds. for increasing or decreasing mucus secretion in subjects, and particularly mucus secretion in the airways, are described. The use of compds. that modulate **MARCKS protein**-related mucus secretion is described. Methods of screening compds. for the ability to increase or decrease mucus secretion are also described.

ST mucus secretion modulator **MARCKS protein**

IT Antisense oligonucleotides

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(**MARCKS protein**-directed; methods and compns. for altering **MARCKS protein**-related mucus secretion)

IT Gene, animal
mRNA

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(**MARCKS protein**-encoding, antisense oligonucleotides to; methods and compns. for altering **MARCKS protein**-related mucus secretion)

IT Drug delivery systems

(aerosols; methods and compns. for altering **MARCKS protein**-related mucus secretion)

IT Bronchi

(bronchitis, inhibition of mucus secretion in; methods and compns. for altering **MARCKS protein**-related mucus secretion)

- IT Lung, disease
(chronic obstructive, inhibition of mucus secretion in; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Eye
(conjunctiva; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Bronchi
(epithelium; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Receptors
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(for **MARCKS protein**, on mucin granule; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Asthma
Common cold
Cystic fibrosis
Emphysema
Influenza
Pneumonia
(inhibition of mucus secretion in; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Drug delivery systems
(liposomes; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Drug delivery systems
Drug screening
Mucous membrane
Mucus
(methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT **MARCKS (myristoylated alanine-rich C kinase substrate)**
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Calmodulins
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Cytokines
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Lipopolysaccharides
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT **Peptides**, biological studies
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(methods and compns. for altering **MARCKS protein**-related mucus secretion)

- related mucus secretion)
- IT Tumor necrosis factors
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(methods and compns. for altering **MARCKS protein** -related mucus secretion)
- IT Digestive tract
Respiratory tract
Respiratory tract
Vagina
Vagina
(mucosa; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Urogenital tract
(mucous membrane; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Mucous membrane
Mucous membrane
(respiratory tract; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Nose
(rhinitis, inhibition of mucus secretion in; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Organelle
(secretory granule, mucin granule, **MARCKS protein** binding site on; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Antibodies
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(to **MARCKS protein**; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT Mucous membrane
Mucous membrane
(vaginal; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT 108068-98-0, KT 5720
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(KT 5720; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT 289643-18-1
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(amino acid sequence, fragments; methods and compns. for altering **MARCKS protein**-related mucus secretion)
- IT 63-39-8, Uridine 5'-triphosphate 16561-29-8, PMA 21870-09-7
78111-17-8, Okadaic acid 91300-60-6, LY83583 121263-19-2, Calphostin C 134248-85-4 289470-83-3
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(methods and compns. for altering **MARCKS protein** -related mucus secretion)
- IT 140342-87-6, 4: PN: WO0050062 SEQID: 3 unclaimed DNA 144559-94-4
RL: PRP (Properties)
(unclaimed nucleotide sequence; methods and compns. for altering mucus secretion)
- IT 148769-19-1, Protein 80K-L (human clone .lambda.80L-1 gene MACS reduced)
RL: PRP (Properties)
(unclaimed protein sequence; methods and compns. for altering mucus

secretion)

L48 ANSWER 6 OF 6 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
 AN 2000:302905 BIOSIS
 DN PREV200000302905
 TI **Myristoylated alanine-rich C-kinase substrate protein: A major intracellular regulatory molecule controlling secretion of mucin by human airway goblet cells.**
 AU **Adler, Kenneth B. (1); Li, Y.; Martin, L. D.**
 CS (1) College of Veterinary Medicine, North Carolina State University, 4700 Hillsborough St, Raleigh, NC, 27606 USA
 SO Chest, (May, 2000) Vol. 117, No. 5 Suppl. 1, pp. 266S-267S. print.
 Meeting Info.: 42nd Annual Thomas L. Petty Lung Conference: Mechanisms of COPD San Francisco, California, USA October 22-26, 2000
 ISSN: 0012-3692.
 DT Conference
 LA English
 SL English
 CC Respiratory System - General; Methods *16001
 Cytology and Cytochemistry - Human *02508
 Biophysics - General Biophysical Studies *10502
 Enzymes - General and Comparative Studies; Coenzymes *10802
 Metabolism - General Metabolism; Metabolic Pathways *13002
 General Biology - Symposia, Transactions and Proceedings of Conferences, Congresses, Review Annuals *00520
 BC Hominidae 86215
 IT Major Concepts
 Biochemistry and Molecular Biophysics; Cell Biology; Metabolism;
 Respiratory System (Respiration)
 IT Parts, Structures, & Systems of Organisms
 airway goblet cell: respiratory system
 IT Chemicals & Biochemicals
 mucin: airway goblet cell secretion; **myristoylated alanine-rich C-kinase substrate protein: major intracellular regulatory molecule**
 IT Miscellaneous Descriptors
 Meeting Abstract
 ORGN Super Taxa
 Hominidae: Primates, Mammalia, Vertebrata, Chordata, Animalia
 ORGN Organism Name
 human (Hominidae)
 ORGN Organism Superterms
 Animals; Chordates; Humans; Mammals; Primates; Vertebrates

=> fil wpix

FILE 'WPIX' ENTERED AT 08:03:15 ON 11 MAY 2003
 COPYRIGHT (C) 2003 THOMSON DERWENT

FILE LAST UPDATED: 5 MAY 2003 <20030505/UP>
 MOST RECENT DERWENT UPDATE: 200329 <200329/DW>
 DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE, COVERS 1963 TO DATE

>>> NEW WEEKLY SDI FREQUENCY AVAILABLE --> see NEWS <<<

>>> SLART (Simultaneous Left and Right Truncation) is now available in the /ABEX field. An additional search field /BIX is also provided which comprises both /BI and /ABEX <<<

>>> PATENT IMAGES AVAILABLE FOR PRINT AND DISPLAY <<<

>>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES,

SEE <http://www.derwent.com/dwpi/updates/dwpcov/index.html> <<<

>>> FOR A COPY OF THE DERWENT WORLD PATENTS INDEX STN USER GUIDE,
PLEASE VISIT:
http://www.stn-international.de/training_center/patents/stn_guide.pdf <<<

>>> FOR INFORMATION ON ALL DERWENT WORLD PATENTS INDEX USER
GUIDES, PLEASE VISIT:
http://www.derwent.com/userguides/dwpi_guide.html <<<

=> d all abeq tech abex tot

L54 ANSWER 1 OF 2 WPIX (C) 2003 THOMSON DERWENT
AN 2003-278239 [27] WPIX
DNC C2003-072601
TI Method of regulating inflammation comprises administering a composition
comprising a **MANS peptide** or an active fragment
thereof.
DC B04 C03
IN **ADLER, K B; LI, Y; MARTIN, L D**
PA (UYNC-N) UNIV NORTH CAROLINA STATE
CYC 100
PI WO 2003000027 A2 20030103 (200327)* EN 51p C07K000-00
RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ
NL OA PT SD SE SL SZ TR TZ UG ZM ZW
W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK
DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR
KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT
RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM
ZW

ADT WO 2003000027 A2 WO 2002-US22270 20020626

PRAI US 2001-300933P 20010626

IC ICM C07K000-00

AB WO2003000027 A UPAB: 20030429

NOVELTY - Method of regulating inflammation comprises administering a
composition comprising a **MANS peptide** or an active
fragment thereof.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

(1) a method of regulating a cellular secretory process comprising
administering a compound comprising a **MANS peptide** or
fragment thereof that regulates an inflammatory mediator;

(2) a method of reducing inflammation comprising administering a
compound that inhibits the **MARCKS**-related release of
inflammatory mediators, whereby mucus secretion is reduced;

(3) a method of reducing inflammation comprising administering a
compound that inhibits the **MARCKS**-related release of
inflammatory mediators;

(4) a method of regulating (i.e. reducing) mucin granule release;

(5) a method of regulating exocytotic secretion of airway mucin
granules by administering a compound that regulates mucin granule
release;

(6) a method of modulating (i.e. inhibiting) mucus secretion
comprising administering an antisense sequence that is complementary to
sequences encoding a **MARCKS protein** or an active
fragment thereof; and

(7) a method of reducing or inhibiting inflammation by administering
a **MANS peptide** or an active fragment thereof to
modulate an inflammatory mediator at the inflammation site.

ACTIVITY - Antiinflammatory; Respiratory; Antiasthmatic;
Gastrointestinal; Antiulcer; Dermatological; Antipsoriatic;
Antiseborrheic; Antiarthritic; Immunosuppressive; Analgesic.

No supporting data given.

MECHANISM OF ACTION - None given.

USE - For treating inflammation caused by respiratory diseases (e.g. asthma, chronic bronchitis and chronic obstructive pulmonary disease (COPD), bowel diseases (e.g. irritable bowel syndrome, Crohn's disease and ulcerative colitis), skin diseases (e.g. rosacea, eczema, psoriasis and severe acne), autoimmune diseases and pain syndromes, arthritis and cystic fibrosis (claimed).

ADVANTAGE - Inhibits both mucus secretion and inflammatory mediators.

Dwg.0/15

FS CPI

FA AB; DCN

MC CPI: B02-Z; B04-C01; B04-E06; B04-N02A; B14-A02; B14-B02; B14-C01; B14-C03; B14-C09; B14-E08; B14-E10C; B14-G02; B14-G02D; B14-K01A; B14-K01D; B14-L06; B14-N17; C02-Z; C04-C01; C04-E06; C04-N02A; C14-A02; C14-B02; C14-C01; C14-C03; C14-C09; C14-E08; C14-E10C; C14-G02; C14-G02D; C14-K01A; C14-K01D; C14-L06; C14-N17

TECH UPTX: 20030429

TECHNOLOGY FOCUS - ORGANIC CHEMISTRY - Preferred **Peptide**: Active fragment of the **MANS protein** comprises at least 6 amino acids. Antisense sequence is at least 18 nucleic acids in length. Inflammatory mediators are produced by cells selected from neutrophils, basophils, eosinophils, monocytes and leukocytes.

TECHNOLOGY FOCUS - PHARMACEUTICALS - Preferred Composition: Compositions further comprise a second molecule selected from antibiotics, antivirals, antiparasitics, antiinflammatories and immunosuppressants.

ABEX UPTX: 20030429

ADMINISTRATION - Administration is topically, parenterally, rectally, pulmonarily (by aerosol, dry powder inhaler, metered dose inhaler or nebulizer), nasally, orally or by inhalation to humans, canines, equines and felines (claimed). No dosage given.

L54 ANSWER 2 OF 2 WPIX (C) 2003 THOMSON DERWENT

AN 2000-572036 [53] WPIX

DNN N2000-423201 DNC C2000-170513

TI Regulating mucus secretion by a mucus-secreting cell, useful for treating e.g. bronchitis, asthma or pneumonia, by administering a compound that inhibits or enhances **myristolated alanine-rich C-kinase substrate** protein.

DC B04 S03

IN ADLER, K B; LI, Y; MARTIN, L D

PA (UYNC-N) UNIV NORTH CAROLINA STATE

CYC 87

PI WO 2000050062 A2 20000831 (200053)* EN 66p A61K038-17

RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL
OA PT SD SE SL SZ TZ UG ZW

W: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB
GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV
MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT
UA UG US UZ VN YU ZA ZW

AU 2000033833 A 20000914 (200063) A61K038-17

EP 1154786 A2 20011121 (200176) EN A61K038-17

R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
RO SE SI

JP 2002538783 W 20021119 (200281) 76p C12N015-09

ADT WO 2000050062 A2 WO 2000-US5050 20000224; AU 2000033833 A AU 2000-33833
20000224; EP 1154786 A2 EP 2000-912034 20000224, WO 2000-US5050 20000224;
JP 2002538783 W JP 2000-600672 20000224, WO 2000-US5050 20000224

FDT AU 2000033833 A Based on WO 200050062; EP 1154786 A2 Based on WO
200050062; JP 2002538783 W Based on WO 200050062

PRAI US 1999-256154 19990224

IC ICM A61K038-17; C12N015-09

ICS A61K009-127; A61K009-72; A61K031-00; A61K031-35; A61K031-7088;
A61K031-739; A61K038-00; A61K038-19; A61K048-00; A61P001-00;

ICA A61P011-00; A61P011-10; A61P043-00; C07H021-00; C12Q001-02;
 AB G01N033-15; G01N033-50; G01N033-53
 C07K014-47; C07K016-18; C12N005-06
 WO 200050062 A UPAB: 20001023
 NOVELTY - Inhibiting or increasing mucus secretion by a mucus-secreting cell comprises administering a compound that inhibits or enhances **myristolated alanine-rich C-kinase substrate (MARCKS) protein**, where mucus secretion by the cell is reduced or enhanced compared to that which would occur in the absence of the compound.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for the following:

(1) methods of inhibiting mucus secretion by a mucus-secreting cell comprises administering to the cell a mucus-inhibitory compound that inhibits **MARCKS protein**-related mucus secretion, where mucus secretion by the cell is reduced compared to that which would occur in the absence of the compound;

(2) methods of enhancing mucus secretion by a mucus-secreting cell by administering a secretion-enhancing fragment of a **MARCKS protein** or a compound that binds to an endogenous inhibitor of **MARCKS protein**, where the amount of mucus secreted is increased compared to that which would occur in the absence of the **protein** fragment or the compound;

(3) an oligonucleotide having a sequence of 10-50 nucleotides that hybridizes to the nucleotide molecules encoding a **MARCKS protein** under physiologic conditions and where the oligonucleotide inhibits expression of the **MARCKS protein** when administered to a cell containing the endogenous nucleotide molecules;

(4) methods of inhibiting mucus secretion by a mucus-secreting cell by administering a mucus inhibitory compound that binds to a target site which may be the mucin granule membranes at the site bound by **MARCKS protein** or the **MARCKS protein** at the mucin granule binding site; and

(5) a method of screening for the ability to bind in a mucus-secreting cell to a site which may be mucin granule membranes at the site bound by **MARCKS protein** or a **MARCKS protein** at the mucin granule membrane binding site, comprising administering the test compound to a mucus-secreting cell and then detecting whether the test compound inhibits binding of endogenous **MARCKS protein** to the mucin granule membrane.

ACTIVITY - Anti-inflammatory; anti-asthmatic; virucide; antibacterial.

No clinical data given.

MECHANISM OF ACTION - **Myristolated alanine-rich C-kinase substrate** phosphorylation inhibitor; **myristolated alanine-rich C-kinase substrate** dephosphorylation inhibitor.

USE - The methods and compositions are useful in regulating mucus secretion, and in treating medical conditions where it is desirable to increase or decrease mucus secretion, such as bronchitis, asthma, cystic fibrosis, chronic obstructive pulmonary disease (COPD), emphysema, pneumonia, influenza, or rhinitis. These may be used to inhibit or reduce mucus secretion occurring from any mucus-secreting cell, such as goblet cells, or tissue, such as mucous membranes of the airways, to block the secretion of inflammatory mediators from cells such as macrophages, neutrophils and mast cells. The mucus-inhibitory compounds may have a dual function of decrease mucus secretion and inflammation. Methods of reducing airway mucus secretion would also be useful for treating bacterial or viral infections, e.g. pneumonia, influenza and the common cold, and in animals, such methods are further used in treating kennel cough and equine COPD (undefined).

ADVANTAGE - The new methods and compounds differ from the prior

treatments of reducing mucus secretion, e.g. steroid treatments or antihistamines, in that cellular secretion of mucus in response to a variety of stimuli is directly blocked at the cellular level.

Dwg.0/12

FS CPI EPI

FA AB; DCN

MC CPI: B04-C01; B04-E03; B04-E06; B04-F01; B04-L04; B04-M01; B04-N04;
B11-C09; B12-M01A; B12-M02; B14-A01; B14-A02; B14-C03; B14-K01A;
B14-L01; B14-L06

EPI: S03-E14H

TECH UPTX: 20001023

TECHNOLOGY FOCUS - BIOTECHNOLOGY - Preferred Compounds: The mucus inhibiting compound is an active fragment of a **MARCKS protein** or an antisense compound directed against endogenous nucleotide molecules that encode a **MARCKS protein**. The active fragment is a **peptide** comprising a sequence of 10-50 contiguous amino acids encoded by a fully defined 1885-base pair (bp) sequence, is an N-terminal sequence of a **MARCKS protein**, preferably myristolated. The compound may also be an okadaic acid, calphostin C, Rp-8-Br-cGMP or LY83583. Inhibiting mucus secretion comprises administering a **peptide** inhibitor of **MARCKS**-related mucus secretion, where the **peptide** comprises a sequence of 24 or 25 amino acids given in the specification. The mucus-enhancing compound is myristolated and comprised of 10-50 contiguous amino acids from a phosphorylation site domain of a **MARCKS protein**. The compound is preferably calmodulin. The compound, which can stimulate mucus secretion, is uridine 5'-triphosphate, phorbol 12-myristate 13-acetate, or 8-bromo-cGMP. The compound may also be a cytokine, tumor necrosis factor-alpha, or lipopolysaccharide. The compound to be tested for its ability to inhibit binding of endogenous **MARCKS protein** to the mucin granule membrane is a **peptide** fragment of a **MARCKS protein** or its analog, or an antibody that specifically binds to **MARCKS protein**. The test compound is preferably labeled with a detectable molecule. Preferred Cell: The mucus-secreting cell is an epithelial cell contained within airway, gastrointestinal or ocular mucous membranes, or genitourinary membranes. The cells used for testing a compound for its ability to inhibit binding of endogenous **MARCKS protein** to the mucin granule membrane are normal bronchial epithelial cells.

ABEX UPTX: 20001023

SPECIFIC SEQUENCES - The mucus secretion-inhibiting peptide is a myristolated polypeptide having the sequence:

GAQFSKTAAKGEAAAEPRGEAAVA

The mucus secretion-enhancing peptide has the sequence:

KKKKKRFSRKKSFKLGSFSGFKNKK

ADMINISTRATION - The mucus-inhibiting compound is administered to the gastrointestinal tract or to the airways of a subject suffering from bronchitis, asthma, cystic fibrosis, chronic obstructive pulmonary disease, emphysema, pneumonia, influenza, rhinitis or common cold by inhalation or via aerosol administration to the lungs. The mucus secretion-enhancing fragment of a **MARCKS protein** is administered to the eye or to the vaginal epithelium. The antisense construct is introduced into the cells in a liposome (all claimed). Pharmaceutical compositions may also be administered through rectal, or topical (including buccal, dermal and ocular) routes.

EXAMPLE - Culture normal human bronchial epithelial cells were co-incubated for 15 minutes in apical and basolateral media containing 1, 10, or 100 μ M of **MANS peptide**, and then co-incubated for 15 minutes with the **peptide** and 100 nM phorbol 12-myristate 13-acetate (PMA) plus 1 μ M 8-bromo-cGMP (cGMP). Stimulation by PMA and cGMP caused at least a 100% increase in mucus secretion over control levels. This increased was however blocked by pre- and co-incubation with

10/802,644

the **MANS peptide**. Levels of secreted mucus fell to control values when 10 μ M **peptide** was used, and levels of secreted mucus were well below control values following incubation with 100 μ M **MANS peptide**. The **MANS peptide** was also found to decrease constitutive basal mucus secretion by 1 hour incubation.

=> d all abeq tech abex

L66 ANSWER 1 OF 1 WPIX (C) 2003 THOMSON DERWENT

AN 2003-221725 [21] WPIX

DNC C2003-056492

TI Preventing or delaying programmed cell death in a recombinant cell comprises expressing one or more anti-apoptotic polypeptide(s) in the cell such that programmed cell death in the cell is prevented or delayed.

DC B04 D16

IN AILOR, E; BETENBAUGH, M J; FIGUEROA, B; HARDWICK, M; REFF, M E; REFF, M

PA (IDEC-N) IDEC PHARM CORP

CYC 100

PI WO 2003006607 A2 20030123 (200321)* EN 41p C12N000-00

RW: AT BE BG CH CY CZ DE DK EA EE ES FI FR GB GH GM GR IE IT KE LS LU
MC MW MZ NL OA PT SD SE SK SL SZ TR TZ UG ZM ZW

W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK
DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR
KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT
RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM
ZW

US 2003064510 A1 20030403 (200325) A61K038-19 <--

ADT WO 2003006607 A2 WO 2002-US21606 20020710; US 2003064510 A1 Provisional US
2001-303813P 20010710, US 2002-191052 20020710

PRAI US 2001-303813P 20010710; US 2002-191052 20020710

IC ICM A61K038-19; C12N000-00

ICS A61K038-43; A61K039-395; C12N005-06; C12P021-02

AB WO2003006607 A UPAB: 20030328

NOVELTY - Preventing or delaying programmed cell death in a recombinant cell that is not a mouse myeloma cell, comprises expressing one or more anti-apoptotic polypeptide(s) in the cell such that programmed cell death in the cell is prevented or delayed. The anti-apoptotic polypeptide is not Aven.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for the following:

(1) methods of increasing production of a recombinant cell or a cell-related product by a recombinant cell, comprising expressing one or more anti-apoptotic polypeptide(s) in the cell such that production of the recombinant cell, or the cell-related product by the cell, is increased; and

(2) a recombinant cell, or a population of cells, useful for producing a cell-related product expressing or is capable of expressing at least 2 anti-apoptotic polypeptides.

ACTIVITY - None given.

MECHANISM OF ACTION - Anti-apoptotic.

Expression of ElB-19K alone and Aven alone has an anti-apoptotic, viability increasing effect (cell viability 60% after 2 days culture), and the effect of ElB-19K alone is very significant and greater than Aven alone and the expression of the 2 genes in combination yields a synergistic effect (cell viability 80% after 2 days culture).

USE - The method is useful in inhibiting apoptotic process and in improving cell performance. The recombinant cells are used for cellular therapy and in producing a cell-related product.

Dwg.0/37

FS CPI

FA AB; DCN

MC CPI: B04-F0200E; B04-G0100E; B04-H0100E; B04-K0100E; B04-L0100E;
B04-N0400E; B14-S03; D05-H14; D05-H14B2; D05-H17A

TECH UPTX: 20030328

TECHNOLOGY FOCUS - BIOTECHNOLOGY - Preferred Method: In preventing or delaying programmed cell death in a recombinant cell, the cell comprises one or more heterologous polynucleotides encoding one or more desired polypeptide(s). The desired polypeptides are selected from antibodies, enzymes, receptors, cytokines, cell-surface factors, cell metabolites, cell-secretion factors, viral factors and **membrane-associated factors**. The antibodies are selected from anti-CD154 antibodies (IEC-131), anti-CD20 antibodies (Rituxan (RTM) or Zevalin (RTM)), anti-B7 antibodies (IDEC114), anti-CD23 antibodies (IDEC152), anti-CD4 antibodies (IDEC151), and anti-tumor antigen antibodies. The expression of the apoptotic polypeptides is controlled by at least one inducible heterologous promoter operably linked to the above polynucleotide encoding the anti-apoptotic polypeptides. The inducible heterologous promoter is an ecdysone promoter that is inducible by a steroid. The recombinant cell further comprises a screenable or selectable marker operably linked to the inducible heterologous promoter. The marker is a green fluorescence protein (GFP) or an enhanced green fluorescence protein (EGF). The anti-apoptotic polypeptide is encoded by genes in eukaryotic cells or viruses, and is selected from Bcl-xL, Bcl-2, Aven, ElB-19K, and p35. The method comprises expressing one apoptotic polypeptide such as ElB-19K, or expressing at least 2 polypeptides such as ElB-19K and Aven. The recombinant cell is a mammalian cell, such as a human cell, murine cell or rodent cell. The recombinant cell is a CHO cell or a BHK cell. The CHO cell is a CHO 5C11. It is in a large-scale bioreactor or culture device of a commercial production. In increasing the production of a cell-related product by a recombinant cell, the cell-related product is a recombinant protein, antibody, enzyme, receptor, cytokine, cell-surface factor, cell metabolite, cell-secretion factor, viral factor, **membrane-associated factor**, or a polynucleotide.

=> fil hcaplus

FILE 'HCAPLUS' ENTERED AT 08:45:28 ON 11 MAY 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 11 May 2003 VOL 138 ISS 20
FILE LAST UPDATED: 9 May 2003 (20030509/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d all tot 1138

L138 ANSWER 1 OF 12 HCAPLUS COPYRIGHT 2003 ACS
AN 2001:400604 HCAPLUS

DN 135:135832
 TI Amyloid .beta. protein activates PKC-.delta. and induces
 translocation of myristoylated alanine-rich
 C kinase substrate (MARCKS) in
 microglia
 AU Nakai, Masamichi; Tanimukai, Satoshi; Yagi, Keiko; Saito, Naoaki;
 Taniguchi, Taizo; Terashima, Akira; Kawamata, Toshio; Yamamoto, Hideyuki;
 Fukunaga, Kohji; Miyamoto, Eishichi; Tanaka, Chikako
 CS Hyogo Institute for Aging Brain and Cognitive Disorders, Himeji, 670-0981,
 Japan
 SO Neurochemistry International (2001), 38(7), 593-600
 CODEN: NEUIDS; ISSN: 0197-0186
 PB Elsevier Science Ltd.
 DT Journal
 LA English
 CC 14-10 (Mammalian Pathological Biochemistry)
 AB The increased accumulation of activated microglia contg. amyloid .beta.
 protein (A.beta.) around senile plaques is a common pathol.
 feature in subjects with Alzheimer's disease (AD). Much less is known,
 however, of intracellular signal transduction pathways for microglial
 activation in response to A.beta.. We investigated intracellular
 signaling in response to A.beta. stimulation in primary cultured rat
 microglia. We found that the kinase activity of PKC-.delta. but not that
 of PKC-.alpha. or -.epsilon. is increased by stimulation of microglia with
 A.beta., with a striking tyrosine phosphorylation of PKC-.delta.. In
 microglia stimulated with A.beta., tyrosine phosphorylation of PKC-.delta.
 was evident at the membrane fraction without an overt translocation of
 PKC-.delta.. PKC-.delta. co-immuno-pptd. with MARCKS from
 microglia stimulated with A.beta.. A.beta. induced translocation of
 MARCKS from the membrane fraction to the cytosolic fraction.
 Immunocytochem. anal. revealed that phosphorylated MARCKS
 accumulated in the cytoplasm, particularly at the perinuclear region in
 microglia treated with A.beta.. Taken together with our previous
 observations that A.beta.-induced phosphorylation of MARCKS and
 chemotaxis of microglia are inhibited by either tyrosine kinase or PKC
 inhibitors, our results provide evidence that A.beta. induces
 phosphorylation and translocation of MARCKS through the tyrosine
 kinase-PKC-.delta. signaling pathway in microglia.
 ST Alzheimer amyloid protein kinase C MARCKS microglia
 IT Alzheimer's disease
 (amyloid .beta. protein activates PKC-.delta. and induces
 translocation of myristoylated alanine-rich
 C kinase substrate (MARCKS) in
 microglia)
 IT MARCKS (myristoylated alanine-rich
 C kinase substrate)
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
 (Biological study); PROC (Process)
 (amyloid .beta. protein activates PKC-.delta. and induces
 translocation of myristoylated alanine-rich
 C kinase substrate (MARCKS) in
 microglia)
 IT Biological transport
 (intracellular; amyloid .beta. protein activates PKC-.delta.
 and induces translocation of myristoylated alanine-
 rich C kinase substrate (
 MARCKS) in microglia)
 IT Neuroglia
 (microglia; amyloid .beta. protein activates PKC-.delta. and
 induces translocation of myristoylated alanine-
 rich C kinase substrate (
 MARCKS) in microglia)
 IT Phosphorylation, biological

(protein; amyloid .beta. protein activates
PKC-.delta. and induces translocation of **myristoylated
alanine-rich C kinase
substrate (MARCKS)** in microglia)

IT 131438-79-4 131602-53-4

RL: ADV (Adverse effect, including toxicity); BIOL (Biological study)
(amyloid .beta. protein activates PKC-.delta. and induces
translocation of **myristoylated alanine-rich
C kinase substrate (MARCKS)** in
microglia)

IT 141436-78-4, Protein kinase C

RL: BAC (Biological activity or effector, except adverse); BPR (Biological
process); BSU (Biological study, unclassified); BIOL (Biological study);
PROC (Process)

(.delta.; amyloid .beta. protein activates PKC-.delta. and
induces translocation of **myristoylated alanine-
rich C kinase substrate (**
MARCKS) in microglia)

RE.CNT 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Aderem, A; Cell 1992, V71, P713 HCAPLUS
- (2) Allen, L; EMBO J 1995, V6, P1109
- (3) Allen, L; J Exp Med 1995, V182, P829 HCAPLUS
- (4) Arbuzova, A; J Biol Chem 1997, V272, P27167 HCAPLUS
- (5) Badolato, R; J Immunol 1995, V155, P4004 HCAPLUS
- (6) Christie, R; Am J Pathol 1996, V148, P399 HCAPLUS
- (7) Combs, C; J Neurosci 1999, V19, P928 HCAPLUS
- (8) De La Fuente, M; Immunology 1993, V80, P259 HCAPLUS
- (9) Duncan, D; Biometrics 1955, V11, P1
- (10) Fujise, A; J Biol Chem 1994, V269, P31642 HCAPLUS
- (11) Hartwig, J; Nature 1992, V356, P618 HCAPLUS
- (12) Kimura, T; Neuroreport 2000, V11, P869 HCAPLUS
- (13) Klegeris, A; Brain Res 1997, V747, P114 HCAPLUS
- (14) Konishi, H; Proc Natl Acad Sci USA 1997, V94, P11223
- (15) Li, W; Mol Cell Biol 1994, V14, P6727 HCAPLUS
- (16) Masliah, E; Brain Res 1991, V549, P106 HCAPLUS
- (17) McDonald, D; J Neurosci 1998, V18, P4451 HCAPLUS
- (18) Nakai, M; J Neurochem 1999, V72, P1179 HCAPLUS
- (19) Nakai, M; Neuroreport 1998, V9, P3467 HCAPLUS
- (20) Nishizuka, Y; FASEB J 1995, V9, P484 HCAPLUS
- (21) Nishizuka, Y; Nature 1988, V308, P693
- (22) Ohmitsu, M; J Biol Chem 1999, V274, P408 HCAPLUS
- (23) Ohmori, S; Mol Cell Biol 1998, V18, P5263 HCAPLUS
- (24) Paresce, D; Neuron 1996, V17, P553 HCAPLUS
- (25) Robinson, P; Anal Biochem 1993, V210, P1400
- (26) Rosen, A; J Exp Med 1990, V17, P1211
- (27) Seykora, J; J Biol Chem 1996, V271, P18797 HCAPLUS
- (28) Thelen, M; Nature 1991, V351, P320 HCAPLUS
- (29) Wegiel, J; Acta Neuropathol 1990, V81, P116 MEDLINE
- (30) Yan, S; Nature 1996, V382, P685 HCAPLUS

L138 ANSWER 2 OF 12 HCAPLUS COPYRIGHT 2003 ACS

AN 2000:775411 HCAPLUS

DN 134:15966

TI Endotoxin causes phosphorylation of **MARCKS** in pulmonary vascular
endothelial cells

AU Zhao, Ying; Davis, Harold W.

CS Department of Internal Medicine (Pulmonary/Critical Care Medicine),
University of Cincinnati Medical Center, Cincinnati, OH, 45267-0564, USA

SO Journal of Cellular Biochemistry (2000), 79(3), 496-505
CODEN: JCEBD5; ISSN: 0730-2312

PB Wiley-Liss, Inc.

DT Journal

- LA English
- CC 14-3 (Mammalian Pathological Biochemistry)
- AB **Protein kinase C (PKC)** has been implicated in lipopolysaccharide (LPS)-induced endothelial cell (EC) monolayer permeability.
- Myristoylated alanine-rich C kinase substrate (MARCKS)**, as a specific PKC substrate, appears to mediate PKC signaling by PKC-dependent phosphorylation of **MARCKS** and subsequent modification of the assocn. of **MARCKS** with filamentous actin and calmodulin (CaM). Therefore, in the present study, we investigated LPS-induced **MARCKS** phosphorylation in bovine pulmonary artery EC (BPAEC). LPS potentiated **MARCKS** phosphorylation in BPAEC in a time- and dose-dependent manner. The PKC inhibitor, calphostin C, significantly decreased LPS-induced phosphorylation of **MARCKS**. In addn., downregulation of PKC with phorbol 12-myristate 13-acetate (PMA) did not affect the LPS-induced **MARCKS** phosphorylation, suggesting that LPS and PMA activate different isoforms of PKC. Pretreatment with SB203580, a specific inhibitor of p38 MAP kinase, or genistein, a tyrosine kinase inhibitor, prevented LPS-induced **MARCKS** phosphorylation. Phosphorylation at appropriate sites will induce translocation of **MARCKS** from the cell membrane to the cytosol. However, LPS, in contrast to PMA, did not generate **MARCKS** translocation in BPAEC, suggesting that **MARCKS** translocation may not play a role in LPS-induced actin rearrangement and EC permeability. LPS also enhanced both thrombin- and PMA-induced phosphorylation of **MARCKS**, suggesting that LPS was able to prime these signaling pathways in BPAEC. Because the CaM-dependent phosphorylation of myosin light chains (MLC) results in EC contraction, we studied the effect of LPS on MLC phosphorylation in BPAEC. LPS induced dephosphorylation of MLC in a time-dependent manner, which occurred at lower doses of LPS, than those required to induce **MARCKS** phosphorylation. In addn., there was no synergism between LPS and thrombin in the induction of MLC phosphorylation. These data indicate that MLC phosphorylation is independent of **MARCKS** phosphorylation. In conclusion, LPS stimulated **MARCKS** phosphorylation in BPAEC. This phosphorylation appears to involve activation of PKC, p38 MAP kinase, and tyrosine kinases. Further studies are needed to explore the role of **MARCKS** phosphorylation in LPS-induced actin rearrangement and EC permeability.
- ST lipopolysaccharide **protein kinase MARCKS** phosphorylation pulmonary artery endothelium sepsis; p38 MAPK tyrosine kinase **MARCKS** phosphorylation vascular permeability
- IT Lipopolysaccharides
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
 (bacterial; p38 MAP kinase and tyrosine kinase in endotoxin-induced **protein kinase C-dependent phosphorylation of MARCKS** in pulmonary vascular endothelial cells)
- IT **Myosins**
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (light-chain; p38 MAP kinase and tyrosine kinase in endotoxin-induced **protein kinase C-dependent phosphorylation of MARCKS** in pulmonary vascular endothelial cells in relation to)
- IT **MARCKS (myristoylated alanine-rich C kinase substrate)**
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (p38 MAP kinase and tyrosine kinase in endotoxin-induced **protein kinase C-dependent phosphorylation of MARCKS** in pulmonary vascular endothelial cells)
- IT Sepsis
 (p38 MAP kinase and tyrosine kinase in endotoxin-induced

- protein kinase C-dependent phosphorylation of MARCKS**
in pulmonary vascular endothelial cells in relation to)
- IT Blood vessel
(permeability; p38 MAP kinase and tyrosine kinase in endotoxin-induced
protein kinase C-dependent phosphorylation of MARCKS
in pulmonary vascular endothelial cells)
- IT **Biological transport**
(permeation, vascular; p38 MAP kinase and tyrosine kinase in
endotoxin-induced **protein kinase C-dependent phosphorylation**
of **MARCKS** in pulmonary vascular endothelial cells)
- IT Phosphorylation, biological
(**protein**; p38 MAP kinase and tyrosine kinase in
endotoxin-induced **protein kinase C-dependent phosphorylation**
of **MARCKS** in pulmonary vascular endothelial cells)
- IT Artery
(pulmonary, endothelium; p38 MAP kinase and tyrosine kinase in
endotoxin-induced **protein kinase C-dependent phosphorylation**
of **MARCKS** in pulmonary vascular endothelial cells)
- IT 80449-02-1, Tyrosine kinase 141436-78-4, **Protein kinase C**
165245-96-5, P38 MAP kinase
RL: BAC (Biological activity or effector, except adverse); BPR (Biological
process); BSU (Biological study, unclassified); BIOL (Biological study);
PROC (Process)
(p38 MAP kinase and tyrosine kinase in endotoxin-induced
protein kinase C-dependent phosphorylation of MARCKS
in pulmonary vascular endothelial cells)

RE.CNT 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Adelstein, R; J Biol Chem 1981, V256, P7501 HCAPLUS
- (2) Aderem, A; J Cell Sci Suppl 1988, V9, P151 HCAPLUS
- (3) Aderem, A; Trends Biochem Sci 1992, V17, P438 HCAPLUS
- (4) Bone, R; Ann Intern Med 1991, V115, P457 HCAPLUS
- (5) Chakravarthy, B; J Biol Chem 1995, V270, P1362 HCAPLUS
- (6) DeFranco, A; Proc Clin Biol Res 1995, V392, P407 HCAPLUS
- (7) Esbenshade, A; J Appl Physiol 1982, V53, P967 MEDLINE
- (8) Garcia, J; J Cell Physiol 1995, V163, P510 HCAPLUS
- (9) Goldblum, S; J Cell Physiol 1993, V157, P13 HCAPLUS
- (10) Goldblum, S; J Clin Invest 1994, V93, P692 HCAPLUS
- (11) Graff, J; J Biol Chem 1989, V264, P11912 HCAPLUS
- (12) Guan, K; Cell Signal 1994, V6, P581 HCAPLUS
- (13) Hartwig, J; Nature 1992, V356, P618 HCAPLUS
- (14) McIlroy, B; J Biol Chem 1991, V266, P4959 HCAPLUS
- (15) McKenna, T; Am J Physiol 1995, V269, P1891 HCAPLUS
- (16) McKenna, T; Shock 1994, V2, P84 MEDLINE
- (17) Nakai, M; J Neurochem 1999, V72, P1179 HCAPLUS
- (18) Newman, J; Clin Chest Med 1985, V6, P371 MEDLINE
- (19) Novogrodsky, A; Science 1994, V264, P1319 HCAPLUS
- (20) Persechini, A; J Biol Chem 1986, V261, P6293 HCAPLUS
- (21) Pugin, J; Proc Clin Biol Res 1995, V392, P369 HCAPLUS
- (22) Pugin, J; Proc Natl Acad Sci USA 1993, V90, P2744 HCAPLUS
- (23) Rosen, A; J Biol Chem 1989, V264, P9118 HCAPLUS
- (24) Shasby, D; Circ Res 1982, V51, P657 MEDLINE
- (25) Stasek, J; Clin Res 1993, V41, P281A
- (26) Stasek, J; J Cell Physiol 1992, V153, P62
- (27) Stumpo, D; Proc Natl Acad Sci USA 1989, V86, P4012 HCAPLUS
- (28) Swierczynski, S; J Biol Chem 1995, V270, P13436 HCAPLUS
- (29) Taniguchi, H; J Biol Chem 1994, V269, P18299 HCAPLUS
- (30) Thelen, M; Nature 1991, V351, P320 HCAPLUS
- (31) Ulevitch, R; Ann Rev Immunol 1995, V13, P437 HCAPLUS
- (32) Wu, W; Proc Natl Acad Sci USA 1982, V79, P5249 HCAPLUS
- (33) Wysolmerski, R; Proc Natl Acad Sci USA 1990, V87, P16 HCAPLUS
- (34) Yamamoto, H; J Neurochem 1995, V65, P802 HCAPLUS
- (35) Zhao, Y; J Cell Physiol 1996, V169, P350 HCAPLUS

LI38 ANSWER 3 OF 12 HCAPLUS COPYRIGHT 2003 ACS

AN 2000:472316 HCAPLUS

DN 133:190866

TI Macrophage-enriched **myristoylated alanine-rich C kinase substrate** and its phosphorylation is required for the phorbol ester-stimulated diffusion of .beta.2 integrin molecules

AU Zhou, Ximing; Li, Jianxun

CS Department of Oral Biology, College of Dentistry, University of Illinois, Chicago, IL, 60612, USA

SO Journal of Biological Chemistry (2000), 275(26), 20217-20222

CODEN: JBCHA3; ISSN: 0021-9258

PB American Society for Biochemistry and Molecular Biology

DT Journal

LA English

CC 13-2 (Mammalian Biochemistry)

Section cross-reference(s): 15

AB An early event of .beta.2 integrin activation is the increased diffusion rate of this mol. on the cell surface, thereby providing integrin mols. with a better chance to meet the ligands. The activation of **protein kinase C (PKC)** stimulates integrin diffusion by releasing the cytoskeletal constraint on integrin mols. We report here that macrophage-enriched **myristoylated alanine-rich C kinase substrate (MacMARCKS)**, a membrane-assocd. PKC substrate involved in integrin activation, is required for this PKC-stimulated diffusion of integrin mols. Using the single-particle tracking technique, we obsd. that the activation of PKC stimulated an 11-fold increase in the diffusion rate of .beta.2 integrins in wild type J774 macrophage cells but not in those expressing mutant **MacMARCKS**. Further evidence is provided from a **MacMARCKS**-deficient cell line in which phorbol esters failed to stimulate the diffusion of integrin. Transfection of wild type **MacMARCKS** into these cells restored the rapid diffusion rate of the .beta.2 integrins. The phosphorylation of **MacMARCKS** is important because transfection of a non-phosphorylatable **MacMARCKS** mutant or the addn. of staurosporine eliminates the rapid diffusion rate of integrin. Furthermore, adding cytochalasin D bypasses the **MacMARCKS** deficiency and stimulates .beta.2 integrin diffusion, suggesting that **MacMARCKS**'s involvement in integrin activation is prior or at the site of cytoskeleton. Therefore, we conclude that **MacMARCKS** is required for releasing the cytoskeletal constraint on integrin mols. during PKC-mediated integrin activation.

ST **MARCKS** phosphorylation **protein kinase** integrin diffusion cytoskeleton macrophage

IT **Biological transport**

(diffusion; macrophage-enriched **myristoylated alanine-rich C kinase substrate** and its phosphorylation in **protein kinase C**-stimulated diffusion of .beta.2 integrin mols.)

IT Cytoskeleton

Macrophage

(macrophage-enriched **myristoylated alanine-rich C kinase substrate** and its phosphorylation in **protein kinase C**-stimulated diffusion of .beta.2 integrin mols.)

IT **MARCKS (myristoylated alanine-rich C kinase substrate)**

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(macrophage-enriched **myristoylated alanine-rich C kinase substrate** and its phosphorylation in **protein kinase C**-stimulated diffusion of

.beta.2 integrin mols.)

IT Phosphorylation, biological
 (protein; macrophage-enriched **myristoylated alanine-rich C kinase substrate** and its phosphorylation in **protein kinase C**-stimulated diffusion of .beta.2 integrin mols.)

IT Integrins
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (.beta.2; macrophage-enriched **myristoylated alanine-rich C kinase substrate** and its phosphorylation in **protein kinase C**-stimulated diffusion of .beta.2 integrin mols.)

IT 141436-78-4, **Protein kinase C**
 RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (macrophage-enriched **myristoylated alanine-rich C kinase substrate** and its phosphorylation in **protein kinase C**-stimulated diffusion of .beta.2 integrin mols.)

RE.CNT 46 THERE ARE 46 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Aderem, A; Cell 1992, V71, P713 HCAPLUS
- (2) Anderson, C; J Cell Sci 1992, V101, P415
- (3) Arbuzova, A; Biochim Biophys Acta 1998, V1376, P369 HCAPLUS
- (4) Blackshear, P; J Biol Chem 1992, V267, P13540 HCAPLUS
- (5) Buyon, J; J Immunol 1988, V140, P3156 HCAPLUS
- (6) Clark, E; Science 1995, V268, P233 HCAPLUS
- (7) Dustin, M; Nature 1989, V341, P619 HCAPLUS
- (8) Gelles, J; Nature 1988, V331, P450 HCAPLUS
- (9) Gladwin, A; Biochim Biophys Acta 1990, V1052, P166 HCAPLUS
- (10) Graham, I; J Cell Biol 1993, V120, P1509 HCAPLUS
- (11) Guan, J; Nature 1992, V358, P690 HCAPLUS
- (12) Hynes, R; Cell 1992, V69, P11 HCAPLUS
- (13) Kashishian, A; Oncogene 1990, V5, P1463 HCAPLUS
- (14) Kim, J; Biophys J 1994, V67, P227 HCAPLUS
- (15) Kucik, D; Biophys J 1999, V76, P314 HCAPLUS
- (16) Kucik, D; J Cell Biol 1990, V111, P1617 MEDLINE
- (17) Kucik, D; J Clin Invest 1998, V97, P2139
- (18) Kucik, D; Nature 1989, V340, P315 HCAPLUS
- (19) Landis, R; J Cell Biol 1993, V120, P1519 HCAPLUS
- (20) Li, J; Cell 1992, V70, P791 HCAPLUS
- (21) Li, J; J Biol Chem 1996, V271, P12985 HCAPLUS
- (22) Liu, Y; Trends Pharmacol Sci 1990, V11, P107 MEDLINE
- (23) Lollo, B; J Biol Chem 1993, V268, P21693 HCAPLUS
- (24) McDowall, A; J Biol Chem 1998, V273, P27396 HCAPLUS
- (25) Metlay, J; J Exp Med 1990, V171, P1753 HCAPLUS
- (26) Mosior, M; Biophys J 1991, V60, P149 HCAPLUS
- (27) Myat, M; Curr Biol 1997, V7, P611 HCAPLUS
- (28) Nathan, C; J Cell Biol 1989, V109, P1341 HCAPLUS
- (29) Qian, H; Biophys J 1991, V60, P910 MEDLINE
- (30) Rosales, C; J Leukocyte Biol 1995, V57, P189 HCAPLUS
- (31) Sako, Y; J Cell Biol 1994, V125, P1251 HCAPLUS
- (32) Schaller, M; Proc Natl Acad Sci U S A 1992, V89, P5192 HCAPLUS
- (33) Schmidt, C; J Cell Biol 1993, V123, P977 HCAPLUS
- (34) Sheetz, M; Nature 1989, V340, P284 HCAPLUS
- (35) Simson, R; Biophys J 1995, V69, P989 HCAPLUS
- (36) Springer, T; Nature 1990, V346, P425 HCAPLUS
- (37) Stewart, M; Curr Opin Cell Biol 1995, V7, P690 HCAPLUS
- (38) Varner, J; Curr Opin Cell Biol 1996, V8, P724 HCAPLUS
- (39) Vergeres, G; Biochem J 1998, V330, P5 HCAPLUS
- (40) Wallis, W; J Immunol 1985, V135, P2323 MEDLINE

- (41) Wilson, K; J Cell Sci 1996, V109, P2101 HCAPLUS
- (42) Woods, A; J Cell Sci 1992, V101, P277 HCAPLUS
- (43) Wright, S; Methods Enzymol 1986, V132, P204 HCAPLUS
- (44) Yamada, K; Curr Opin Cell Biol 1995, V7, P681 HCAPLUS
- (45) Yue, L; Cell Adhes Commun 2000, V7, P355
- (46) Zhu, Z; J Biol Chem 1995, V270, P17652 HCAPLUS

L138 ANSWER 4 OF 12 HCAPLUS COPYRIGHT 2003 ACS

AN 1999:476384 HCAPLUS

DN 131:241938

TI Phagocytic and macropinocytic activity in **MARCKS**-deficient macrophages and fibroblasts

AU Carballo, Ester; Pitterle, Diana M.; Stumpo, Deborah J.; Sperling, Robert T.; Blackshear, Perry J.

CS Office of Clinical Research and Laboratory of Signal Transduction, National Institute of Environmental Health Sciences, Research Triangle Park, NC, 27709, USA

SO American Journal of Physiology (1999), 277(1, Pt. 1), C163-C173
CODEN: AJPHAP; ISSN: 0002-9513

PB American Physiological Society

DT Journal

LA English

CC 15-10 (Immunochemistry)

AB Macrophages express high levels of the **myristoylated, alanine-rich, C kinase substrate (MARCKS)**, an actin crosslinking protein. To investigate a possible role of **MARCKS** in macrophage function, fetal liver-derived macrophages were generated from wild-type and **MARCKS** knockout mouse embryos. No differences between the wild-type and **MARCKS**-deficient macrophages with respect to morphol. (Wright's stain) or actin distribution (staining with rhodamine-phalloidin, under basal conditions or after treatment with phorbol esters, lipopolysaccharide, or both) were obsd. We then evaluated phagocytosis mediated by different receptors: Fc receptors tested with IgG-coated sheep red blood cells, complement C3b receptors tested with C3b-coated yeast, mannose receptors tested with unopsonized zymosan, and nonspecific phagocytosis tested with latex beads. We also studied fluid phase endocytosis in macrophages and mouse embryo fibroblasts by using FITC-dextran to quantitate this process. In most cases, there were no differences between the cells derived from wild-type and **MARCKS**-deficient mice. However, a minor but significant and reproducible difference in rates of zymosan phagocytosis at 45-60 min was obsd., with lower rates of phagocytosis in the **MARCKS**-deficient cells. Our data indicate that **MARCKS** deficiency may lead to slightly decreased rates of zymosan phagocytosis.

ST macrophage phagocytosis **MARCKS** zymosan

IT **Pinocytosis**

(macropinocytosis; phagocytic and macropinocytic activity in **MARCKS**-deficient macrophages and fibroblasts)

IT Fibroblast

Macrophage

Phagocytosis

(phagocytic and macropinocytic activity in **MARCKS**-deficient macrophages and fibroblasts)

IT **MARCKS (myristoylated alanine-rich C kinase substrate)**

Zymosans

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(phagocytic and macropinocytic activity in **MARCKS**-deficient macrophages and fibroblasts)

RE.CNT 58 THERE ARE 58 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Aderem, A; Cell 1992, V71, P713 HCAPLUS
- (2) Aderem, A; Nature 1988, V332, P362 HCAPLUS
- (3) Allen, L; J Exp Med 1995, V182, P829 HCAPLUS
- (4) Betjes, M; J Immunol Methods 1994, V174, P215 MEDLINE
- (5) Blackshear, P; Brain Res Dev Brain Res 1996, V96, P62 HCAPLUS
- (6) Blackshear, P; Exp Neurol 1997, V145, P46 HCAPLUS
- (7) Blackshear, P; J Biol Chem 1993, V268, P1501 HCAPLUS
- (8) Carballo, E; J Clin Invest 1997, V100, P986 HCAPLUS
- (9) Chen, J; Proc Natl Acad Sci USA 1996, V93, P6275 HCAPLUS
- (10) Donaldson, K; Clin Exp Immunol 1988, V74, P477 HCAPLUS
- (11) Falk, L; J Leukoc Biol 1988, V43, P148 MEDLINE
- (12) Graff, J; J Biol Chem 1989, V264, P21818 HCAPLUS
- (13) Greenberg, S; J Biol Chem 1994, V269, P3897 HCAPLUS
- (14) Greenberg, S; J Cell Biol 1991, V113, P757 HCAPLUS
- (15) Greenberg, S; J Exp Med 1993, V177, P529 HCAPLUS
- (16) Gresham, H; J Biol Chem 1990, V265, P7819 HCAPLUS
- (17) Harlan, D; J Biol Chem 1991, V266, P14399 HCAPLUS
- (18) Hartwig, J; Nature 1992, V356, P618 HCAPLUS
- (19) Hinrichsen, R; Proc Natl Acad Sci USA 1993, V90, P1585 HCAPLUS
- (20) Hurst, N; Ann Rheum Dis 1983, V42, P487 MEDLINE
- (21) Kaplow, L; Blood 1965, V26, P215 MEDLINE
- (22) Keller, H; J Cell Physiol 1990, V145, P465 HCAPLUS
- (23) Kim, H; Dev Biol 1998, V200, P146 HCAPLUS
- (24) Kim, J; Biophys J 1994, V67, P227 HCAPLUS
- (25) Kim, J; J Biol Chem 1994, V269, P28214 HCAPLUS
- (26) Li, J; J Biol Chem 1996, V271, P12985 HCAPLUS
- (27) McIlroy, B; J Biol Chem 1991, V266, P4959 HCAPLUS
- (28) Myat, M; Curr Biol 1997, V7, P611 HCAPLUS
- (29) Naito, M; J Leukoc Biol 1990, V48, P27 MEDLINE
- (30) Newman, S; J Immunol 1991, V140, P967
- (31) Nilsson, M; Exp Cell Res 1989, V181, P551 HCAPLUS
- (32) Phaire-Washington, L; J Cell Biol 1980, V86, P634 HCAPLUS
- (33) Racoosin, E; J Exp Med 1989, V170, P1635 HCAPLUS
- (34) Robertson, E; Teratocarcinomas and Embryonic Stem Cells 1987, P77
- (35) Robinson, J; J Cell Biol 1987, V105, P417 HCAPLUS
- (36) Rosen, A; J Exp Med 1990, V172, P1211 HCAPLUS
- (37) Rosenstreich, D; Cellular Functions in Immunity and Inflammation 1981, P127
- (38) Sawai, T; J Biol Chem 1993, V268, P1995 HCAPLUS
- (39) Shinji, H; Exp Cell Res 1991, V193, P127 HCAPLUS
- (40) Snyderman, R; J Immunol 1977, V119, P2060 HCAPLUS
- (41) Speert, D; J Leukoc Biol 1985, V38, P655 HCAPLUS
- (42) Stumpo, D; Genomics 1998, V49, P253 HCAPLUS
- (43) Stumpo, D; Proc Natl Acad Sci USA 1995, V92, P944 HCAPLUS
- (44) Swanson, J; J Cell Sci 1989, V94, P135 HCAPLUS
- (45) Swanson, J; Trends Cell Biol 1995, V5, P89
- (46) Swierczynski, S; J Biol Chem 1995, V270, P13436 HCAPLUS
- (47) Swierczynski, S; J Biol Chem 1996, V271, P23424 HCAPLUS
- (48) Thelen, M; Proc Natl Acad Sci USA 1990, V87, P5603 HCAPLUS
- (49) Underhill, D; J Biol Chem 1998, V273, P33619 HCAPLUS
- (50) Verghese, G; J Biol Chem 1994, V269, P9361 HCAPLUS
- (51) Vogel, S; J Immunol 1981, V126, P441 HCAPLUS
- (52) Warren, M; J Immunol 1985, V134, P982 HCAPLUS
- (53) Wright, S; J Exp Med 1982, V156, P1149 HCAPLUS
- (54) Wu, M; Proc Natl Acad Sci USA 1996, V93, P2110 HCAPLUS
- (55) Yam, L; Am J Clin Pathol 1971, V55, P283 HCAPLUS
- (56) Zheleznyak, A; J Biol Chem 1992, V267, P12042 HCAPLUS
- (57) Zhu, Z; J Biol Chem 1995, V270, P17652 HCAPLUS
- (58) Zigmond, S; Exp Cell Res 1972, V73, P383 HCAPLUS

TI Mechanisms involved in the contraction of endothelial cells by hydrogen peroxide

AU Lopez-Ongil, Susana; Torrecillas, Guadalupe; Perez-Sala, Dolores; Gonzalez-Santiago, Laura; Rodriguez-Puyol, Manuel; Rodriguez-Puyol, Diego

CS Department of Physiology and Pharmacology, Alcala de Henares University, Madrid, Spain

SO Free Radical Biology & Medicine (1999), 26(5/6), 501-510
CODEN: FRBMEH; ISSN: 0891-5849

PB Elsevier Science Inc.

DT Journal

LA English

CC 14-5 (Mammalian **Pathological Biochemistry**)

AB The importance of endothelial contraction in the genesis of inflammatory edema has been reported. ROS are metabolites synthesized in pathol. conditions in that a significant intravascular fluid leak occurs, such as ischemia-reperfusion. Present expts. were designed to test the hypothesis that ROS, particularly H2O2, may elicit the contraction of endothelial cells, and to explore the mechanisms involved. Bovine aortic endothelial cells incubated with H2O2 showed a significant redn. in planar cell surface area (PCSA), and a significant increase in myosin light chain phosphorylation (MLCP), with a time- and dose-dependent pattern, without any significant toxicity. This effect of H2O2 was not blocked by sulotroban (TxA2 antagonist) or BN 52021 (PAF antagonist). Lanthanum chloride (calcium channel blocker) and EGTA partially inhibited the increase in MLCP induced by H2O2. H7 and staurosporine, PKC inhibitors, and PKC down-regulation (phorbol myristate acetate treatment, 24 h) also blocked H2O2-dependent endothelial contraction, measured as PCSA or MLCP. H2O2 increased the intracellular calcium concn., an effect blunted by EGTA and lanthanum chloride. H2O2 also increased the phosphorylation of an 80 kDa **polypeptide**, probably **MARCKS**, a PKC substrate. In summary, the present results demonstrate the ROS-dependent contraction of endothelial cells, an effect that could explain the intravascular fluid leak obsd. in some pathophysiol. situations. Calcium and PKC may be involved in the development of this contraction.

ST endothelium contraction hydrogen peroxide edema

IT Artery
(aorta, endothelium; mechanisms involved in contraction of endothelial cells by hydrogen peroxide)

IT Blood vessel
(endothelium; mechanisms involved in contraction of endothelial cells by hydrogen peroxide)

IT **Inflammation**
Inflammation
(**inflammatory edema**; mechanisms involved in contraction of endothelial cells by hydrogen peroxide)

IT Edema
Edema
(inflammatory; mechanisms involved in contraction of endothelial cells by hydrogen peroxide)

IT **Myosins**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(light chains of, phosphorylation; mechanisms involved in contraction of endothelial cells by hydrogen peroxide)

IT Reactive oxygen species
RL: ADV (Adverse effect, including toxicity); BIOL (Biological study)
(mechanisms involved in contraction of endothelial cells by hydrogen peroxide)

IT **MARCKS (myristoylated alanine-rich C kinase substrate)**
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(phosphorylation of; mechanisms involved in contraction of endothelial

- cells by hydrogen peroxide)
- IT Phosphorylation, biological
(protein, of MARKS and myosin light chains; mechanisms involved in contraction of endothelial cells by hydrogen peroxide)
- IT 7722-84-1, Hydrogen peroxide, biological studies
RL: ADV (Adverse effect, including toxicity); BIOL (Biological study)
(mechanisms involved in contraction of endothelial cells by hydrogen peroxide)
- IT 141436-78-4, Protein kinase C
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(mechanisms involved in contraction of endothelial cells by hydrogen peroxide)
- IT 7440-70-2, Calcium, biological studies
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
(mechanisms involved in contraction of endothelial cells by hydrogen peroxide)
- IT 7782-44-7, Oxygen, biological studies
RL: ADV (Adverse effect, including toxicity); BIOL (Biological study)
(reactive species; mechanisms involved in contraction of endothelial cells by hydrogen peroxide)

RE.CNT 44 THERE ARE 44 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Abe, J; J Biol Chem 1996, V271, P16586 HCAPLUS
- (2) Adler, S; Kidney Int 1993, V44, P278 HCAPLUS
- (3) Anderson, J; J Biol Chem 1981, V256, P4693 HCAPLUS
- (4) Ballermann, B; Am J Physiol 1989, V256, P182 HCAPLUS
- (5) Bradford, M; Anal Biochem 1976, V72, P248 HCAPLUS
- (6) Bradley, J; Am J Pathol 1995, V147, P627 HCAPLUS
- (7) Braquet, P; Pharmacol Rev 1987, V39, P97 HCAPLUS
- (8) Brenner, B; J Clin Invest 1989, V84, P1373 HCAPLUS
- (9) Conrad, G; J Cell Biol 1986, V103, P439 HCAPLUS
- (10) Diez-Marques, M; Endocrinology 1995, V136, P3444 HCAPLUS
- (11) Doan, T; Biochem J 1994, V297, P209 HCAPLUS
- (12) Duque, J; Am J Physiol 1992, V263, P466
- (13) Engler, R; Am J Cardiol 1989, V63, P19E HCAPLUS
- (14) Garcia, J; J Cell Physiol 1995, V163, P510 HCAPLUS
- (15) Garcia-Escribano, C; Kidney Int 1993, V43, P324 HCAPLUS
- (16) Gryniewicz, G; J Biol Chem 1985, V270, P25557
- (17) Harrison, G; Can J Cardiol 1994, V10, P843 HCAPLUS
- (18) Herget, T; Eur J Biochem 1994, V225, P549 HCAPLUS
- (19) Ishihara, H; J Pharmacol Exp Ther 1989, V250, P388 HCAPLUS
- (20) Kaman, K; Annu Rev Physiol 1989, V51, P299
- (21) Kennedy, T; J Clin Invest 1989, V83, P1326 HCAPLUS
- (22) Klauster, J; JAMA 1989, V261, P1030
- (23) Konishi, H; Proc Natl Acad Sci USA 1997, V94, P11233 HCAPLUS
- (24) Lewis, M; J Clin Invest 1988, V82, P2045 HCAPLUS
- (25) Lopez-Ongil, S; Am J Physiol 1996, V271, P1072 HCAPLUS
- (26) Lopez-Ongil, S; Exp Nephrol 1996, V4, P37 HCAPLUS
- (27) Lortie, M; Microvasc Res 1994, V48, P295 MEDLINE
- (28) Marsden, P; Semin Nephrol 1991, V11, P169 HCAPLUS
- (29) Mene, P; Am J Physiol 1986, V251, P1029 HCAPLUS
- (30) Moy, A; J Clin Invest 1993, V92, P1198 HCAPLUS
- (31) Natarajan, V; J Lab Clin Med 1995, V125, P26 HCAPLUS
- (32) Osborn, L; Cell 1990, V62, P3 HCAPLUS
- (33) Pandiella, A; Biochem Biophys Res Commun 1989, V163, P1325 HCAPLUS
- (34) Pober, J; Physiol Rev 1990, V70, P427 HCAPLUS
- (35) Raij, L; J Am Soc Nephrol 1991, V2, P2 MEDLINE
- (36) Sarvazyan, N; Arch Biochem Biophys 1998, V350, P132 HCAPLUS
- (37) Savage, M; Circulation 1995, V92, P3194 HCAPLUS
- (38) Schlondorff, D; J Clin Invest 1984, V73, P1227 HCAPLUS

- (39) Sheldon, R; Am J Physiol 1993, V265, PL606 HCAPLUS
- (40) Siflinger-Birnboim, A; Lab Invest 1992, V67, P24
- (41) Siflinger-Birnboim, A; Am J Physiol 1996, V270, PL973 HCAPLUS
- (42) Studer, R; Kidney Int 1995, V48, P422 HCAPLUS
- (43) Volk, T; Mol Cell Biochem 1997, V171, P11 HCAPLUS
- (44) Wenzel, U; J Clin Invest 1995, V95, P1244 HCAPLUS

L138 ANSWER 6 OF 12 HCAPLUS COPYRIGHT 2003 ACS

AN 1999:117 HCAPLUS

DN 130:167026

TI **MacMARCKS** is not essential for phagocytosis in macrophages

AU Underhill, David M.; Chen, Jianmin; Allen, Lee-Ann H.; Aderem, Alan

CS Department of Immunology, University of Washington, Seattle, WA, 98195, USA

SO Journal of Biological Chemistry (1998), 273(50), 33619-33623

CODEN: JBCHA3; ISSN: 0021-9258

PB American Society for Biochemistry and Molecular Biology

DT Journal

LA English

CC 15-6 (Immunochemistry)

AB **MacMARCKS** (also known as myristoylated alanine-rich protein kinase C substrate (**MARCKS**)-related protein) is a member of the **MARCKS** family of protein kinase C substrates. **MacMARCKS** contains within it a basic effector domain that contains the serine residues that are phosphorylated by protein kinase C, as well as a calcium/calmodulin and actin-binding site. Two previous reports demonstrated that a macrophage cell line expressing a mutant form of **MacMARCKS** that lacks the effector domain is defective in phagocytosis and cell adhesion. The authors report here that macrophages from **MacMARCKS** null mice phagocytose and spread normally. Thus, although **MacMARCKS** is recruited to phagosomes, it is not absolutely required for phagocytosis.

ST **MacMARCKS** phagocytosis macrophage

IT Phospholipoproteins

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)

(**MacMARCKS**; **MacMARCKS** is not essential for phagocytosis in macrophages)

IT Leukocyte

(adhesion; **MacMARCKS** is not essential for phagocytosis in macrophages in relation to)

IT Spreading

(biol.; **MacMARCKS** is not essential for phagocytosis in macrophages in relation to)

IT Cell adhesion

(leukocyte; **MacMARCKS** is not essential for phagocytosis in macrophages in relation to)

IT Phagocytosis

(macrophage; **MacMARCKS** is not essential for)

IT Macrophage

(phagocytosis; **MacMARCKS** is not essential for)

RE.CNT 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Aderem, A; Cell 1992, V71, P713 HCAPLUS
- (2) Allen, L; EMBO J 1995, V14, P1109 HCAPLUS
- (3) Allen, L; J Exp Med 1995, V182, P829 HCAPLUS
- (4) Blackshear, P; J Biol Chem 1992, V267, P13540 HCAPLUS
- (5) Blackshear, P; J Biol Chem 1993, V268, P1501 HCAPLUS
- (6) Chang, S; J Biol Chem 1996, V271, P1174 HCAPLUS
- (7) Chen, J; Proc Natl Acad Sci U S A 1996, V93, P6275 HCAPLUS
- (8) Graff, J; J Biol Chem 1989, V264, P21818 HCAPLUS
- (9) Hartwig, J; Nature 1992, V356, P618 HCAPLUS

- (10) Li, J; Cell 1992, V70, P791 HCAPLUS
- (11) Li, J; J Biol Chem 1996, V271, P12985 HCAPLUS
- (12) McLaughlin, S; Trends Biochem Sci 1995, V20, P272 HCAPLUS
- (13) Moore, M; Cell Tissue Kinet 1973, V6, P461 MEDLINE
- (14) Myat, M; Curr Biol 1998, V8, P677 HCAPLUS
- (15) Schleiff, E; J Biol Chem 1996, V271, P26794 HCAPLUS
- (16) Stacey, K; Immunol Cell Biol 1993, V71, P75 HCAPLUS
- (17) Thelen, M; Nature 1991, V351, P320 HCAPLUS
- (18) Underhill, D; Cytoskeletal-Membrane Interactions and Signal Transduction 1997, P157 HCAPLUS
- (19) Vergeres, G; Biochem J 1998, V330, P5 HCAPLUS
- (20) Wu, M; Proc Natl Acad Sci U S A 1996, V93, P2110 HCAPLUS
- (21) Zhu, Z; J Biol Chem 1995, V270, P17652 HCAPLUS

L138 ANSWER 7 OF 12 HCAPLUS COPYRIGHT 2003 ACS

AN 1998:223709 HCAPLUS

DN 129:3378

TI Overexpression of the **myristoylated alanine-rich C kinase substrate** in human choroidal melanoma cells affects cell proliferation

AU Manenti, Stephane; Malecaze, Francois; Chap, Hugues; Darbon, Jean-Marie

CS Institut National de la Sante et de la Recherche Medicale (INSERM), Institut Federatif de Recherche 30, Toulouse, 31059, Fr.

SO Cancer Research (1998), 58(7), 1429-1434
CODEN: CNREA8; ISSN: 0008-5472

PB American Association for Cancer Research

DT Journal

LA English

CC 14-1 (Mammalian Pathological Biochemistry)

AB Reduced expression of the **myristoylated alanine-rich C kinase substrate** (

MARCKS) has been described in various cell lines after oncogenic or chem. transformation, leading to the question of whether this **protein** may be involved in cell proliferation. Here we compare the expression of **MARCKS** in human tumor-derived choroidal melanoma cells (OCM-1) and in primary cultures of normal choroidal melanocytes. We found an important down-regulation of the **protein** in the melanoma cell line. Stable transfection of these cells with the cDNA coding for **MARCKS** led to the selection of several clones expressing variable levels of the **protein**. Proliferation expts. performed with four of these clones revealed that cell growth was reduced by 35-40% when compared with control cells. Upon serum starvation, cell proliferation was almost abolished when the expression level of **MARCKS** was high, whereas it was only partially reduced in the controls. **MARCKS** overexpression induced a higher percentage of cells in the G0-G1 phase of the cell cycle upon serum starvation, as well as the inhibition of colony formation in soft agar. Finally, the expression of the CDK inhibitor p27 was increased in the cells presenting a high level of **MARCKS protein**. Altogether, these data suggest that the expression of this **protein kinase C** substrate affects the proliferation and partially reverts the transformed phenotype of the OCM-1 cells.

ST **MARCKS** cell proliferation eye melanoma

IT Eye

(choroid, melanoma; overexpression of **myristoylated alanine-rich C kinase substrate** in human choroidal melanoma cells affects cell proliferation)

IT Eye, neoplasm

Eye, neoplasm

(melanoma; overexpression of **myristoylated alanine-rich C kinase substrate** in human choroidal melanoma cells affects cell proliferation)

- IT Cell cycle
Cell proliferation
 Melanocyte
 (overexpression of **myristoylated alanine-rich C kinase substrate** in human choroidal melanoma cells affects cell proliferation)
- IT **MARCKS (myristoylated alanine-rich C kinase substrate)**
RL: BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence)
 (overexpression of **myristoylated alanine-rich C kinase substrate** in human choroidal melanoma cells affects cell proliferation)
- IT Cyclin dependent kinase inhibitors
RL: BOC (Biological occurrence); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence)
 (p27KIP1; overexpression of **myristoylated alanine-rich C kinase substrate** in human choroidal melanoma cells affects cell proliferation)

RE.CNT 41 THERE ARE 41 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Aderem, A; Cell 1992, V71, P713 HCAPLUS
- (2) Allen, L; EMBO J 1995, V14, P1109 HCAPLUS
- (3) Allen, L; J Exp Med 1995, V182, P829 HCAPLUS
- (4) Blackshear, P; J Biol Chem 1993, V268, P1501 HCAPLUS
- (5) Brooks, G; Carcinogenesis (Lond) 1996, V17, P683 HCAPLUS
- (6) Frey, M; J Biol Chem 1997, V272, P9424 HCAPLUS
- (7) Graff, J; J Biol Chem 1989, V264, P21818 HCAPLUS
- (8) Graff, J; Science (Washington DC) 1989, V246, P503 HCAPLUS
- (9) Halaban, R; Human Melanoma 1988, P3
- (10) Harlan, D; J Biol Chem 1991, V266, P14399 HCAPLUS
- (11) Hartwig, J; Nature (Lond) 1992, V356, P618 HCAPLUS
- (12) Herget, T; Eur J Biochem 1994, V225, P549 HCAPLUS
- (13) Herget, T; Proc Natl Acad Sci USA 1993, V90, P2945 HCAPLUS
- (14) Hu, D; Invest Ophthalmol Vis Sci 1993, V34, P2210 MEDLINE
- (15) James, G; J Biol Chem 1989, V264, P20928 HCAPLUS
- (16) Joseph, C; J Biol Chem 1992, V267, P1327 HCAPLUS
- (17) Laemmli, U; Nature (Lond) 1970, V227, P680 HCAPLUS
- (18) Lin, X; Cancer Res 1997, V57, P2304 HCAPLUS
- (19) Manenti, S; FEBS Lett 1997, V419, P95 HCAPLUS
- (20) Manenti, S; J Biol Chem 1993, V268, P6878 HCAPLUS
- (21) McIlroy, B; J Biol Chem 1991, V266, P4959
- (22) Myatt, M; Curr Biol 1997, V7, P611
- (23) Otsuka, M; Biochem Biophys Res Commun 1991, V178, P494 HCAPLUS
- (24) Rasmussen, C; EMBO J 1989, V8, P73 MEDLINE
- (25) Rizzino, A; Methods Enzymol 1987, V146, P341 HCAPLUS
- (26) Rose, S; J Neurochem 1994, V63, P2314 HCAPLUS
- (27) Rosen, A; J Exp Med 1991, V172, P1211
- (28) Scotto, J; J Natl Cancer Inst 1976, V56, P489 MEDLINE
- (29) Seykora, J; J Biol Chem 1996, V271, P18797 HCAPLUS
- (30) Simek, S; Proc Natl Acad Sci USA 1989, V86, P7410 HCAPLUS
- (31) Swierzynski, S; J Biol Chem 1995, V270, P13436
- (32) Swierzynski, S; J Biol Chem 1996, V271, P23424
- (33) Taniguchi, H; J Biol Chem 1993, V268, P9960 HCAPLUS
- (34) Taniguchi, H; J Biol Chem 1994, V269, P18299 HCAPLUS
- (35) Thelen, M; Nature (Lond) 1991, V351, P320 HCAPLUS
- (36) Vergeres, G; J Biol Chem 1995, V270, P19879 HCAPLUS
- (37) Verghese, G; J Biol Chem 1994, V269, P9361 HCAPLUS
- (38) Wang, J; Proc Natl Acad Sci USA 1989, V86, P2253 HCAPLUS
- (39) Wojtaszek, P; Oncogene 1993, V8, P755 HCAPLUS
- (40) Wolfman, A; J Biol Chem 1987, V262, P16546 HCAPLUS
- (41) Zhu, X; J Cell Biol 1996, V133, P391 HCAPLUS

L138 ANSWER 8 OF 12 HCAPLUS COPYRIGHT 2003 ACS

AN 1996:274324 HCAPLUS

DN 124:339516

TI **MARCKS** functions as a novel growth suppressor in cells of melanocyte origin

AU Brooks, Gavin; Brooks, Susan F.; Goss, Martin W.

CS Eisai London Research Laboratories, University College, London, UK

SO Carcinogenesis (1996), 17(4), 683-689

CODEN: CRNGDP; ISSN: 0143-3334

PB Oxford University Press

DT Journal

LA English

CC 14-1 (Mammalian Pathological Biochemistry)

Section cross-reference(s): 3

AB **Protein kinase C (PKC)** plays a pivotal role in modulating the growth of melanocytic cells in culture. We have shown previously that a major physiol. substrate of PKC, the 80 kDa **myristoylated alanine-rich C-kinase substrate (MARCKS)**, can be phosphorylated in quiescent, non-tumorigenic melanocytes exposed transiently to a biol. active phorbol ester, but cannot be phosphorylated in phorbol ester-treated, syngeneic malignant melanoma cells. Despite its ubiquitous distribution, the function of **MARCKS** in cell growth and transformation remains to be demonstrated clearly. We report here that **MARCKS** mRNA and **protein** levels are down-regulated significantly in the spontaneously derived murine B16 melanoma cell line compared with syngeneic normal Mel-ab melanocytes. In contrast, the tumorigenic v-Ha-ras-transformed melanocytic line, LTR Ras 2, showed a high basal level of **MARCKS** phosphorylation which was not enhanced by treatment of cells with phorbol ester. Furthermore, **protein** levels of **MARCKS** in LTR Ras 2 cells were similar to those expressed in Mel-ab melanocytes. However, in four out of six murine tumor cell lines investigated, levels of **MARCKS** **protein** were barely detectable. Transfection of B16 cells with a plasmid contg. the **MARCKS** cDNA in the sense orientation produced two neomycin-resistant clones displaying reduced proliferative capacity and decreased anchorage-independent growth compared with control cells. In contrast, transfection with the antisense **MARCKS** construct produced many colonies which displayed enhanced growth and transforming potential compared with control cells. Thus, **MARCKS** appears to act as a novel growth suppressor in the spontaneous transformation of cells of melanocyte origin and may play a more general role in the tumor progression of other carcinomas.

ST melanocyte transformation melanoma **protein MARCKS**

IT Gene, animal

RL: BSU (Biological study, unclassified); BIOL (Biological study)

(**MARCKS**; **protein MARCKS** expression in

spontaneous transformation of melanocytic cells and B16 melanoma cell proliferation)

IT Cell proliferation

Melanocyte

Melanoma

Phosphorylation, biological

Transcription, genetic

Transformation, neoplastic

(**protein MARCKS** expression in spontaneous

transformation of melanocytic cells and B16 melanoma cell proliferation)

IT Phospholipoproteins

RL: ADV (Adverse effect, including toxicity); BPR (Biological process);

BSU (Biological study, unclassified); BIOL (Biological study); PROC

(Process)

(**MARCKS** (myristoylated alanine-rich C kinase substrate), protein **MARCKS** expression in spontaneous transformation of melanocytic cells and B16 melanoma cell proliferation)

IT 141436-78-4, Protein kinase C
 RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)
 (protein **MARCKS** expression in spontaneous transformation of melanocytic cells and B16 melanoma cell proliferation)

L138 ANSWER 9 OF 12 HCAPLUS COPYRIGHT 2003 ACS

AN 1995:760102 HCAPLUS

DN 123:167374

TI A role for **MARCKS**, the .alpha. isozyme of protein kinase C and myosin I in zymosan phagocytosis by macrophages

AU Allen, Lee-Ann H.; Aderem, Alan

CS Laboratory Signal Transduction, Rockefeller Univ., New York, NY, 10021, USA

SO Journal of Experimental Medicine (1995), 182(3), 829-40

CODEN: JEMEAU; ISSN: 0022-1007

PB Rockefeller University Press

DT Journal

LA English

CC 15-6 (Immunochemistry)

AB **Myristoylated, alanine-rich C-**

kinase substrate (MARCKS) is a

lipopolysaccharide-induced protein kinase C (PKC) substrate that has been proposed to regulate actin-membrane interactions, as well as actin structure at the membrane. The authors studied the distribution of **MARCKS**, the .alpha. isozyme of PKC (PKC.alpha.), and myosin I in lipopolysaccharide-treated peritoneal macrophages ingesting zymosan particles. **MARCKS**, PKC.alpha., and myosin I colocalized with F-actin and talin in the cortical cytoplasm adjacent to forming phagocytic cups. After particle ingestion was completed, myosin I, F-actin, and talin were no longer enriched in the vicinity of the phagosome. By contrast, **MARCKS** and PKC.alpha. remained assocd. with the phagosome membrane until after acquisition of the lysosomal marker Lamp-1. Vinculin was not detected on phagosomes at any time point examd. Phagocytosis of zymosan was accompanied by rapid and sustained phosphorylation of **MARCKS**. Inhibitors of PKC reduced zymosan binding to the macrophage surface and blocked the focal accumulation of F-actin, talin, phosphotyrosine-contg. proteins, **MARCKS**, and PKC.alpha. beneath attached particles. The authors propose that PKC-dependent phosphorylation is an early signal required for zymosan phagocytosis and that **MARCKS** and PKC.alpha. have a role in phagosome maturation. The colocalization of F-actin and **MARCKS** at the cytoplasmic face of the nascent phagosome reinforces the hypothesis that **MARCKS** regulates actin structure at the membrane. The data also suggest that myosin I functions as a mech. motor during particle uptake.

ST **MARCKS** protein kinase C phagocytosis macrophage;

myosin I zymosan phagocytosis macrophage

IT Macrophage

Phagocytosis

(**MARCKS**, protein kinase C .alpha. isozyme, and myosin I in zymosan phagocytosis by macrophages)

IT Zymosans

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(**MARCKS**, protein kinase C .alpha. isozyme, and myosin I in zymosan phagocytosis by macrophages)

- IT Phosphorylation, biological
Signal transduction, biological
(**protein** kinase C-dependent phosphorylation is early signal required for zymosan phagocytosis by macrophage)
- IT **Myosins**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(I, **MARCKS**, **protein** kinase C
.alpha. isozyme, and myosin I in zymosan phagocytosis by macrophages)
- IT Phospholipoproteins
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(**MARCKS** (**myristoylated alanine-rich C kinase substrate**),
MARCKS, **protein** kinase C .alpha. isozyme, and myosin I in zymosan phagocytosis by macrophages)
- IT 141436-78-4, **Protein** kinase C
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(.alpha.; **MARCKS**, **protein** kinase C .alpha. isozyme, and myosin I in zymosan phagocytosis by macrophages)
- L138 ANSWER 10 OF 12 HCAPLUS COPYRIGHT 2003 ACS
- AN 1995:386940 HCAPLUS
- DN 122:157379
- TI The role of 80K/**MARCKS**, a specific substrate of **protein** kinase C, in cell growth and tumor progression
- AU Brooks, Gavin
- CS Rayne Institute, St. Thomas' Hospital, London, SE1 7EH, UK
- SO Pigment Cell Research (1994), 7(6), 451-7
CODEN: PCREEA; ISSN: 0893-5785
- DT Journal; General Review
- LA English
- CC 14-0 (Mammalian Pathological Biochemistry)
Section cross-reference(s): 13
- AB A review, with 50 refs. Since its discovery more than a decade ago, the 80-87 kDa **myristoylated alanine-rich C-kinase substrate** (80K/**MARCKS**) **protein** has attracted a great deal of attention from researchers interested in cell growth and tumor progression. However, despite its ubiquitous distribution, a definitive functional role for 80K/**MARCKS** has not been found. The purpose of this review is to describe the properties, distribution and regulation of 80K/**MARCKS** and to discuss some of the most recent findings, both from our lab. and from others, that have suggested a functional role for this **protein** in modulating cell growth and tumor progression. Furthermore, the author will presents data from his lab. that implicates 80K/**MARCKS** as a novel tumor suppressor in cells of melanocyte origin.
- ST review melanocyte melanoma **protein** MARKS
- IT **Melanocyte**
Melanoma
(**protein** **MARCKS** in melanocyte cell growth and melanoma in human and lab. animals)
- IT Phospholipoproteins
RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BOC (Biological occurrence); BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence); PROC (Process)
(**MARCKS** (**myristoylated alanine-rich C kinase substrate**),
protein **MARCKS** in melanocyte cell growth and melanoma

in human and lab. animals)

L138 ANSWER 11 OF 12 HCAPLUS COPYRIGHT 2003 ACS

AN 1993:445848 HCAPLUS

DN 119:45848

TI The **MARCKS protein**: A PKC substrate which regulates cytoskeletal-membrane interactions

AU Aderem, Alan; Seykora, John T.

CS Lab. Signal Transduct., Rockefeller Univ., New York, NY, 10021, USA

SO Protein Kinase C (1992), 255-73. Editor(s): Lester, David S.;

Epand, Richard M. Publisher: Horwood, Chichester, UK.

CODEN: 59BLAU

DT Conference; General Review

LA English

CC 13-0 (Mammalian Biochemistry)

Section cross-reference(s): 7, 15

AB A review with 68 refs. on the properties of **MARCKS** and the evidence which supports the model proteinase C (PKC)-mediated phosphorylation-dependent manner. Because the translocation phenomena of the **MARCKS protein** has been extensively characterized in murine macrophages and human neutrophils, the behavior of **MARCKS** in these systems is emphasized.

ST review **MARCKS** phosphorylation cytoskeleton membrane translocation; kinase C **MARCKS protein** regulation review; macrophage **MARCKS** regulation review; neutrophil **MARCKS** regulation review

IT Phosphorylation, biological
(**MARCKS protein** cytoplasmic-membrane interactions regulation by)

IT Cell membrane
Cytoskeleton
(**MARCKS protein** interaction with and localization in, phosphorylation dependence of)

IT Macrophage
Neutrophil
(**MARCKS protein** of, phosphorylation-dependent regulation and properties of)

IT Phospholipoproteins
RL: BIOL (Biological study)
(**MARCKS (myristoylated alanine-rich C kinase substrate)**, phosphorylation-dependent regulation and properties of, cytoskeleton-membrane translocation in relation to)

IT Biological transport
(translocation, of **MARCKS protein**, between cell membrane and cytoskeleton, phosphorylation in regulation of)

IT 141436-78-4, **Protein kinase C**
RL: BIOL (Biological study)
(**MARCKS protein** cytoskeleton-membrane translocation regulation by)

L138 ANSWER 12 OF 12 HCAPLUS COPYRIGHT 2003 ACS

AN 1992:585567 HCAPLUS

DN 117:185567

TI **Membrane-associated neurotransmitter stimulating factor** is very similar to ciliary neurotrophic factor

AU Rao, M.; Patterson, P. H.; Landis, S. C.

CS Dep. Neurosci., Case West. Reserve Univ., Cleveland, OH, 44106, USA

SO Developmental Biology (Orlando, FL, United States) (1992), 153(2), 411-16

CODEN: DEBIAO; ISSN: 0012-1606

DT Journal

LA English
 CC 2-10 (Mammalian Hormones)
 AB **Membrane-assocd. neurotransmitter stimulating factor (MANS)** can modulate sympathetic **neurotransmitter** expression and promote ciliary neuron survival in cell culture. Previous studies have shown that its biol. effects and biochem. properties are similar to those of ciliary neurotrophic factor (CNTF). In addn., CNTF is present in spinal cord, the source of **MANS**. These observations raised the possibility that **MANS** preps. contain CNTF. Partially purified **MANS** fractions contain a 24-kD **protein** that is recognized in Western blots by an antiserum generated against recombinant rat CNTF (rCNTF). This antiserum immunoppts. virtually all the cholinergic-inducing and the ciliary neurotrophic activities present in **MANS** preps. When iodinated rCNTF is incubated with spinal cord membranes, a significant proportion of the labeled CNTF segregates with the membrane pellet. The membrane-assocd. exogenous CNTF can be eluted from the membrane fraction by treatment with high-salt solns., similar to that used to solubilize **MANS** from spinal cord membranes. The data suggest that a substantial portion of the cholinergic differentiation and ciliary neurotrophic activities present in **MANS** preps. can be attributed to CNTF or a CNTF-like mol.

ST **membrane assocd neurotransmitter stimulating factor** CNTF; ciliary neurotrophic factor **MANS**

IT Animal growth regulators
 RL: BIOL (Biological study)
 (ciliary neurotrophic factors, **membrane-assocd. neurotransmitter-stimulating factor** cholinergic and ciliary neurotrophic activity dependent on)

IT Animal growth regulators
 RL: BIOL (Biological study)
 (**membrane-assocd. neurotransmitter-stimulating factors**, cholinergic and ciliary neurotrophic activity of, ciliary neurotrophic **factor-like** mol. in)

=> d his

(FILE 'HOME'. ENTERED AT 07:35:11 ON 11 MAY 2003)
 SET COST OFF

FILE 'HCAPLUS' ENTERED AT 07:35:20 ON 11 MAY 2003

E US20030013652/PN

L1	1 S E3
	E MARTIN L/AU
L2	388 S E3,E7
	E MARTIN LINDA/AU
L3	23 S E3,E4
	E ADLER K/AU
L4	33 S E3,E5
L5	62 S E24-E27
	E LI Y/AU
L6	1502 S E3,E16
	E LI YUE/AU
L7	178 S E3,E13,E18
L8	32 S E72,E74,E75
L9	2191 S L2-L8
L10	1 S L9 AND MANS
L11	5 S L9 AND MARCKS
L12	5 S L10,L11

10/802,644

haddad - 10 / 180753

Page 36

L13 468 S MARCKS(S) (PROTEIN OR ?PEPTIDE?)
L14 467 S MYRIST? ALANINE RICH C KINASE SUBSTRATE
E MARCKS
L15 540 S E3
L16 10 S MANS(S) (PROTEIN OR ?PEPTIDE?)
L17 1 S (MANGANESE SENSOR) (L) (PROTEIN OR ?PEPTIDE?)
L18 4 S MEMBRANE ASSOC? NEUROTRANSMIT? STIMULAT?
L19 4 S MEMBRANE(S) ASSOC? (S) NEUROTRANSMIT? (S) STIMULAT? (S) FACTOR
L20 1349 S MEMBRANE(S) ASSOC? (S) FACTOR
L21 57 S MEMBRANE ASSOC? FACTOR
SEL DN AN L16 1-6 8
L22 7 S L16 AND E1-E21
L23 571 S L13-L15
L24 67 S L16-L19, L21, L22
E MANS
L25 131 S L24 OR E3
L26 5 S L9 AND L23-L25
L27 5 S L12, L26

FILE 'BIOSIS' ENTERED AT 07:50:02 ON 11 MAY 2003

E MARTIN L/AU
L28 813 S E3, E8, E9
E MARTIN LINDA/AU
L29 26 S E3, E5
E ADLER K/AU
L30 179 S E3, E5
L31 33 S E20-E22
E LI Y/AU
L32 2068 S E3, E12, E13
E LI YUE/AU
L33 57 S E3, E9, E12
E LI YUEH/AU
L34 9 S E5, E7
L35 631 S L23

FILE 'MEDLINE' ENTERED AT 07:53:21 ON 11 MAY 2003

E MARTIN L/AU
L36 898 S E3, E9
E MARTIN LINDA/AU
L37 4 S E3, E4
E ADLER K/AU
L38 152 S E3, E5
L39 4 S E14
E LI Y/AU
L40 3206 S E3, E12
E LI YUE/AU
L41 14 S E3, E7
L42 512 S L35

FILE 'BIOSIS' ENTERED AT 07:54:37 ON 11 MAY 2003

FILE 'BIOSIS' ENTERED AT 07:55:04 ON 11 MAY 2003

L43 543 S L16-L19, L21 OR MANS
L44 3 S L28-L34 AND L35, L43

FILE 'MEDLINE' ENTERED AT 07:56:10 ON 11 MAY 2003

L45 131 S L43
L46 1 S L36-L41 AND L42, L45

FILE 'HCAPLUS, BIOSIS, MEDLINE' ENTERED AT 07:56:54 ON 11 MAY 2003

L47 7 DUP REM L27 L44 L46 (2 DUPLICATES REMOVED)

FILE 'HCAPLUS, BIOSIS, MEDLINE' ENTERED AT 07:57:12 ON 11 MAY 2003

L48 6 S L47 NOT ZN2/TI

FILE 'HCAPLUS, BIOSIS, MEDLINE' ENTERED AT 07:58:12 ON 11 MAY 2003

FILE 'WPIX' ENTERED AT 07:59:42 ON 11 MAY 2003

L49 347 S L16/BIX OR L17/BIX OR L18/BIX OR L19/BIX OR L21/BIX OR MANS/B
L50 5 S L13/BIX OR L14/BIX OR L15/BIX
E MARTIN L/AU
L51 107 S E3,E9,E10
E ADLER K/AU
L52 37 S E3,E4
E LI Y/AU
L53 3006 S E3,E9
L54 2 S L49,L50 AND L51-L53

FILE 'WPIX' ENTERED AT 08:03:15 ON 11 MAY 2003

L55 3 S L50 NOT L54
L56 345 S L49 NOT L54
L57 0 S L56 AND (A61P001 OR A61P011 OR A61P043 OR A61P017 OR A61P037)
L58 1 S L56 AND C07K/IC,ICM,ICS,ICA,ICI
L59 3 S L56 AND A61K/IC,ICM,ICS,ICA,ICI
SEL DN AN 1
L60 1 S L59 AND E1-E2
L61 0 S L56 AND (B04-C01? OR C04-C01? OR B04-N02? OR C04-N02?)/MC
L62 0 S L56 AND (B14-C01 OR C14-C01 OR B12-D01 OR C12-D01 OR B14-C03
L63 1 S L56 AND (B14-C08 OR C14-C08 OR B12-E08 OR C12-D08 OR B14-E10?
L64 0 S L56 AND (B14-L06 OR C14-L06 OR B12-G01 OR C12-G01 OR B14-N17?
L65 5 S L58-L64
L66 1 S L65 AND L60

FILE 'HCAPLUS' ENTERED AT 08:18:57 ON 11 MAY 2003

L67 701 S L23,L25
L68 696 S L67 NOT L27
E RESPIRATORY TRACT/CT
L69 15981 S E3-E41
E E3+ALL
L70 132029 S E4+NT
E E33+ALL
L71 41854 S E5,E4+NT
L72 1464 S E36+NT OR E37+NT
E RESPIRAT/CT
L73 8911 S E4+NT
L74 3217 S E39-E43
L75 3217 S E39+NT
E E94+ALL
L76 119 S E6
E BRONCHITIS/CT
E E3+ALL
L77 1797 S E2
L78 28 S E1
E BRONCH/CT
L79 12161 S E4+NT
L80 12161 S E4-E40
E ASTHMA/CT
L81 11758 S E3-E5
E E3+ALL
L82 11758 S E2+NT
E E4+ALL
L83 7200 S E6,E5+NT
L84 9382 S E4+NT
E CHRONIC OBSTRUCT/CT
E E9+ALL
L85 1760 S E2

		E ULCERATIVE COLITIS/CT
		E E3+ALL
L86	2537	S E2
		E CROHN/CT
		E E5+ALL
L87	0	S E2
		E INFLAMMATORY BOWEL/CT
		E E4+ALL
L88	3655	S E2
		E ROSACEA/CT
		E E3+ALL
L89	137	S E2
		E ECZEMA/CT
L90	1517	S E3, E4
		E E3+ALL
L91	1517	S E7+NT
		E PSORIASIS/CT
L92	6903	S E3-E7
		E E3+ALL
L93	6903	S E4+NT
		E ACNE/CT
L94	2828	S E3-E7
		E E3+ALL
L95	2854	S E4+NT
		E CYSTIC FIBROSIS/CT
		E E3+ALL
L96	5261	S E10, E9+NT
		E ARTHRITIS/CT
L97	12389	S E3-E24
		E E3+ALL
L98	21911	S E6+NT
L99	23165	S E5+NT
		E E19+ALL
L100	4727	S E5, E4+NT
		E E3+ALL
L101	50118	S E4, E5, E3+NT
		E E18+ALL
L102	4920	S E5, E5+NT
		E INFLAMMATION/CT
L103	26292	S E3-E17
		E E3+ALL
L104	79360	S E2+NT
		E SKIN/CT
L105	77777	S E3-E96
		E E3+ALL
L106	83960	S E4+NT
L107	6967	S E34+NT
		E E35+ALL
L108	54406	S E4, E5, E3+NT
		E AUTOIMMUNE/CT
L109	23640	S E7+NT
		E E7+ALL
L110	24266	S E3, E2+NT
		E AUTOIMMUNITY/CT
		E E3+ALL
L111	1638	S E2
		E PAIN/CT
L112	9243	S E3-E11
		E E3+ALL
L113	9094	S E3+NT
L114	91664	S E5+NT OR E6+NT OR E7+NT OR E8+NT OR E9+NT OR E12+NT
		E SECRET/CT
		E E11+ALL

10/802,644

haddad - 10 / 180753

Page 39

```

L115      15601 S E6,E7,E5+NT
           E E4+ALL
L116      282053 S E4+NT
           E MUCIN/CT
           E E13+ALL
L117      5997 S E1
           E MYOSIN/CT
L118      18707 S E4-E32
           E E15+ALL
L119      18283 S E3+NT
L120      131 S L68 AND L69-L119
L121      22 S L120 AND (1 OR 15 OR 63)/SC,SX
L122      24 S L120 AND PATHOL?/SC,SX
L123      40 S L121,L122 NOT L27
L124      34 S L123 AND (PD<=20010626 OR PRD<=20010626 OR AD<=20010626)
L125      29 S L124 AND (PROTEIN OR ?PEPTIDE?)
L126      0 S L125 AND MANS
L127      25 S L125 AND MARCKS
L128      4 S L125 NOT L127
L129      1 S L120 AND MANS
L130      130 S L68 AND L25
L131      116 S L130 AND (PD<=20010626 OR PRD<=20010626 OR AD<=20010626)
L132      19 S L131 AND (1 OR 15 OR 63)/SC,SX
L133      97 S L131 NOT L132
           SEL DN AN 42
L134      1 S L133 AND E1-E3
           SEL DN AN L127 6 8 9 13 14 17 19 21 23 24 25
L135      11 S L127 AND E4-E36
L136      12 S L134,L135 AND L1-L27,L67-L135
L137      12 S L136 AND (MANS OR ?MARCKS?)
L138      12 S L137 NOT L27

```

FILE 'HCAPLUS' ENTERED AT 08:45:28 ON 11 MAY 2003